

Technical Publications

Direction 2173228-100 Revision 11

AMX-4+ Renewal Parts (Model 2169360 Series)

Copyright[®] 1996, 1997, 1998, 2000, 2001 By General Electric Co.

WARNING

- THIS SERVICE MANUAL IS AVAILABLE IN ENGLISH ONLY.
- IF A CUSTOMER'S SERVICE PROVIDER REQUIRES A LANGUAGE OTHER THAN ENGLISH, IT IS THE CUSTOMER'S RESPONSIBILITY TO PROVIDE TRANSLATION SERVICES.
- DO NOT ATTEMPT TO SERVICE THE EQUIPMENT UNLESS THIS SERVICE MANUAL HAS BEEN CONSULTED AND IS UNDERSTOOD.
- FAILURE TO HEED THIS WARNING MAY RESULT IN INJURY TO THE SERVICE PROVIDER, OPERATOR OR PATIENT FROM ELECTRIC SHOCK, MECHANICAL OR OTHER HAZARDS.

AVERTISSEMENT

- CE MANUEL DE MAINTENANCE N'EST DISPONIBLE QU'EN ANGLAIS.
- SI LE TECHNICIEN DU CLIENT A BESOIN DE CE MANUEL DANS UNE AUTRE LANGUE QUE L'ANGLAIS, C'EST AU CLIENT QU'IL INCOMBE DE LE FAIRE TRADUIRE.
- NE PAS TENTER D'INTERVENTION SUR LES ÉQUIPEMENTS TANT QUE LE MANUEL SERVICE N'A PAS ÉTÉ CONSULTÉ ET COMPRIS.
- LE NON-RESPECT DE CET AVERTISSEMENT PEUT ENTRAÎNER CHEZ LE TECHNICIEN, L'OPÉRATEUR OU LE PATIENT DES BLESSURES DUES À DES DANGERS ÉLECTRIQUES, MÉCANIQUES OU AUTRES.

WARNUNG

- DIESES KUNDENDIENST-HANDBUCH EXISTIERT NUR IN ENGLISCHER SPRACHE.
- FALLS EIN FREMDER KUNDENDIENST EINE ANDERE SPRACHE BENÖTIGT, IST ES AUFGABE DES KUNDEN FÜR EINE ENTSPRECHENDE ÜBERSETZUNG ZU SORGEN.
- VERSUCHEN SIE NICHT, DAS GERÄT ZU REPARIEREN, BEVOR DIESES KUNDENDIENST-HANDBUCH NICHT ZU RATE GEZOGEN UND VERSTANDEN WURDE.
- WIRD DIESE WARNUNG NICHT BEACHTET, SO KANN ES ZU VERLETZUNGEN DES KUNDENDIENSTTECHNIKERS, DES BEDIENERS ODER DES PATIENTEN DURCH ELEKTRISCHE SCHLÄGE, MECHANISCHE ODER SONSTIGE GEFAHREN KOMMEN.

AVISO

- ESTE MANUAL DE SERVICIO SÓLO EXISTE EN INGLÉS.
- SI ALGÚN PROVEEDOR DE SERVICIOS AJENO A GEMS SOLICITA UN IDIOMA QUE NO SEA EL INGLÉS, ES RESPONSABILIDAD DEL CLIENTE OFRECER UN SERVICIO DE TRADUCCIÓN.
- NO SE DEBERÁ DAR SERVICIO TÉCNICO AL EQUIPO, SIN HABER CONSULTADO Y COMPRENDIDO ESTE MANUAL DE SERVICIO.
- LA NO OBSERVANCIA DEL PRESENTE AVISO PUEDE DAR LUGAR A QUE EL PROVEEDOR DE SERVICIOS, EL OPERADOR O EL PACIENTE SUFRAN LESIONES PROVOCADAS POR CAUSAS ELÉCTRICAS, MECÁNICAS O DE OTRA NATURALEZA.

ATENÇÃO

- ESTE MANUAL DE ASSISTÊNCIA TÉCNICA SÓ SE ENCONTRA DISPONÍVEL EM INGLÊS.
- SE QUALQUER OUTRO SERVIÇO DE ASSISTÊNCIA TÉCNICA, QUE NÃO A GEMS, SOLICITAR ESTES MANUAIS NOUTRO IDIOMA, É DA RESPONSABILIDADE DO CLIENTE FORNECER OS SERVIÇOS DE TRADUÇÃO.
- NÃO TENTE REPARAR O EQUIPAMENTO SEM TER CONSULTADO E COMPREENDIDO ESTE MANUAL DE ASSISTÊNCIA TÉCNICA.
- O NÃO CUMPRIMENTO DESTE AVISO PODE POR EM PERIGO A SEGURANÇA DO TÉCNICO, OPERADOR OU PACIENTE DEVIDO A' CHOQUES ELÉTRICOS, MECÂNICOS OU OUTROS.

AVVERTENZA

- IL PRESENTE MANUALE DI MANUTENZIONE È DISPONIBILE SOLTANTO IN INGLESE.
- SE UN ADDETTO ALLA MANUTENZIONE ESTERNO ALLA GEMS RICHIEDE IL MANUALE IN UNA LINGUA DIVERSA, IL CLIENTE È TENUTO A PROVVEDERE DIRETTAMENTE ALLA TRADUZIONE.
- SI PROCEDA ALLA MANUTENZIONE DELL'APPARECCHIATURA SOLO DOPO AVER CONSULTATO IL PRESENTE MANUALE ED AVERNE COMPRESO IL CONTENUTO.
- NON TENERE CONTO DELLA PRESENTE AVVERTENZA POTREBBE FAR COMPIERE OPERAZIONI DA CUI DERIVINO LESIONI ALL'ADDETTO ALLA MANUTENZIONE, ALL'UTILIZZATORE ED AL PAZIENTE PER FOLGORAZIONE ELETTRICA, PER URTI MECCANICI OD ALTRI RISCHI.

警告

- ・このサービスマニュアルには英語版しかありません。
- ・GEMS以外でサービスを担当される業者が英語以外の言語を要求される場合、翻訳作業はその業者の責任で行うものとさせていただきます。
- ・このサービスマニュアルを熟読し理解せずに、装置のサービスを行わ ないで下さい。
- ・この警告に従わない場合、サービスを担当される方、操作員あるいは 患者さんが、感電や機械的又はその他の危険により負傷する可能性が あります。

注意:

- 本维修手册仅存有英文本。
- 非 GEMS 公司的维修员要求非英文本的维修手册时,客户需自行负责翻译。
- 未详细阅读和完全了解本手册之前,不得进行维修。
- 忽略本注意事项会对维修员,操作员或病人造成触 电,机械伤害或其他伤害。

REV 11

DIRECTION 2173228-100

Direction 2173228–100

Revision 11

AMX-4+ Renewal Parts (Model 2169360 Series)

IMPORTANT!... X-RAY PROTECTION



X-ray equipment if not properly used may cause iniurv. Accordingly, the instructions herein contained should be thoroughly read and understood by everyone who will use the equipment before you attempt to place this equipment operation. The General Electric **Systems** Company, Medical Group, will be glad to assist and cooperate in placing equipment in use.

Although this apparatus incorporates a high degree of protection against x-radiation other than the useful beam, no practical design of equipment can provide

complete protection. Nor can any practical design compel the operator to take adequate precautions to prevent the possibility of any persons carelessly exposing themselves or others to radiation.

It is important that everyone having anything to do with x-radiation be properly trained and fully acquainted with the recommendations of the National Council on Radiation Protection and Measurements as published in NCRP Reports available from NCRP Publications, 7910 Woodmont Avenue, Room 1016, Bethesda, Maryland 20814, and of the International Commission

on Radiation Protection, and take adequate steps to protect against injury.

The equipment is sold with the understanding that the General Electric Company, Medical Systems Group, its agents, and representatives have no responsibility for injury or damage which may result from improper use of the equipment.

Various protective material and devices are available. It is urged that such materials or devices be used.

CAUTION: United States Federal law restricts this device to use by or on the order of a physician.

If you have any comments, suggestions or corrections to the information in this document, please write them down, include the document title and document number, and send them to:

GENERAL ELECTRIC COMPANY MEDICAL SYSTEMS

MANAGER - INFORMATION INTEGRATION, AMERICAS W-622 P.O. BOX 414 MILWAUKEE, WI 53201-0414

CERTIFIED ELECTRICAL CONTRACTOR STATEMENT



All electrical installations that are preliminary to positioning of the equipment at the site prepared for the equipment shall be performed by licensed electrical contractors. In addition, electrical feeds into the Power Distribution Unit shall be performed by licensed electrical contractors. Other connections between pieces of electrical equipment, calibrations, and testing

shall be performed by qualified GE Medical personnel. The products involved (and the accompanying electrical installations) are highly sophisticated, and special engineering competence is required. In performing all electrical work on these products, GE will use its own specially trained field engineers. All of GE's electrical work on these products will comply with the requirements of the applicable electrical codes.

The purchaser of GE equipment shall only utilize qualified personnel (i.e., GE's field engineers, personnel of third-party service companies with equivalent training, or licensed electricians) to perform electrical servicing on the equipment.

DAMAGE IN TRANSPORTATION

All packages should be closely examined at time of delivery. If damage is apparent, have notation "damage in shipment" written on all copies of the freight or express bill before delivery is accepted or "signed for" by a General Electric representative or a hospital receiving agent. Whether noted or concealed, damage MUST be reported to the carrier immediately

upon discovery, or in any event, within 14 days after receipt, and the contents and containers held for inspection by the carrier. A transportation company will not pay a claim for damage if an inspection is not requested within this 14 day period.

Call Traffic and Transportation, Milwaukee, WI (414) 827-3449 /

8*285-3449 immediately after damage is found. At this time be ready to supply name of carrier, delivery date, consignee name, freight or express bill number, item damaged and extent of damage.

Complete instructions regarding claim procedure are found in Section "S" of the Policy & Procedure Bulletins.

6/17/94

TABLE OF CONTENTS

TITLE	PAGE
REVISION HISTORY	ix
MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10	12
AMX4+ TOP LEVEL BASE ASSEMBLY (INCLUDES 46-302158G2)	21
HORIZONTAL ARM ASSEMBLY, 46-302156G1, AMX3A2	25
76" COLUMN ASSEMBLY, 2174198 70" COLUMN ASSEMBLY, 2174198–2	28
CARRIAGE ASSEMBLY, 46-270306G3	30
AMX-4+ GENERATOR ASSEMBLY, 46-315159G7, AMX1 (FOR 2169360, -2, -3, -4, -7 -8, -9, -10) AMX-4+ GENERATOR ASSEMBLY, 46-315159G8, AMX1	
(FOR 2169360-5, -6)	33
DRIVE ELECTRONICS MODULE ASSEMBLY, 46-315340G1, AMX1A5	37
X-RAY CONTROL MODULE ASSEMBLY, 46-303897G2, AMX1A4	39
DRIVE HANDLE ASSEMBLY, 46-302276G2	41
BATTERY CHARGER & ROTOR CONTROL ASEMBLY, 46-315373G1, AMX1A3 (FOR 46-315159G7)	
BATTERY CHARGER & ROTOR CONTROL ASEMBLY, 46–315373G2, AMX1A3 (FOR 46–315159G8)	43
CASSETTE DRAWER ASSEMBLY, 46-270231G2	44
COVER ASSEMBLY (EMC, GRAY #4), 46-303626G4	45
HV TRANSFORMER ASSEMBLY (46-270954G1), T3432AP AMX1A6	47
COLLIMATOR ASSEMBLY, (46-270615P2), T3497T	51

REVISION HISTORY

REV	DATE	REASON FOR CHANGE
0	Dec. 13, 1996	Initial release.
1	Mar. 7, 1997	Changes to battery installation, drive relay for M4 release.
2	Mar. 28, 1997	Added cord plugs to Page 10.
3	June 24, 1997	Added collimator; updated vertical column, horizontal column lock latch.
4	Aug. 14, 1997	High Impact Inspection.
5	Dec. 1, 1997	Removed screws and added pins to 2169360, item 280.
6	Dec. 10, 1997	Added reference to furnished items in Introduction.
7	Sept. 23, 1998	Updated Collimator Assembly (46-270615P2).
8	Dec. 7, 1998	Updated 2169360, item 19 to 46-267217P22, FUSE.
9	Mar. 7, 2000	Updated Drive Handle Assembly, 46-302276G1.
10	Aug. 8, 2000	Updated 46-315159G9/10, item 13, Power Supply to 46-302350P4.
11	Dec. 10, 2001	Added Part numbers for Panasonic batteries and LVLE power supply.

LIST OF EFFECTIVE PAGES

PAGE NUMBER	REVISION NUMBER	PAGE NUMBER	REVISION NUMBER	PAGE NUMBER	REVISION NUMBER
Title Page	11				
i thru viii	11				
1 thru 52	11				
Back Page	_				

AMX-4+ RENEWAL PARTS


Indentification


See Illustration 1. The AMX-4+ is identified by Model Number on the rating plate located on the top cover. Model part and catalog numbers are identified in Table 1. This direction contains renewal parts for these units.

TABLE 1
AMX-4+ MODELS

DESCRIPTION	PART NUMBER	CATALOG NUMBER
DOMESTIC	2169360-7	A0659F
DOMESTIC, AEC	2169360-8	A0659FA
DOMESTIC, TECH SWITCH	2169360-9	A0659FC
DOMESTIC, AEC, TECH SWITCH	2169360-10	A0659FB
IEC, EMC	2169360	A0659A
IEC, EMC, AEC	2169360-2	A0659AA
IEC, EMC, TECH SWITCH	2169360-3	A0659AB
IEC, EMC, AEC, TECH SWITCH	2169360-4	A0659AC
JAPAN	2169360-5	A0659C
JAPAN SHORT COLUMN	2169360-6	A0659D

ILLUSTRATION 1 AMX-4+IDENTIFICATION






Furnished items such as manuals, labels and touchup paint are listed in Direction 2173222–100 *AMX–4+ Installattion (Model 2169360 Series)*.

THIS PAGE INTENTIONALLY LEFT BLANK.


REV 11

DIRECTION 2173228-100

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10



MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (FRONT, SIDE AND TOP COVERS)




MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (TOP COVER ASSEMBLY)


CONNECT TO MATING CONNECTOR IN HARNESS OF P5, SEE DETAIL "AE" DD 07-- 32 31 296 295 37 95 PLACE 3" STRIPS APPROXIMATELY AS SHOWN TO INSIDE OF P16 0-0 16 BLK LEAD FROM MAIN HARNESS (AT KEYSWITCH BREAKOUT). SECURE TO PANEL (P74) WIT 74 PEM NUTS SHALL FACE THIS SIDE 138 112 (2) 197 193 182 (2) 97 L₁₉₃ · 78 (2)161 (2)228 (4)109 - 73 (2)228 75 — (2)161 -TO P138 J2 **-**(4) 58 136 - 240 (RIBBON CABLE PART OF P137) 111 - 55 162 └ 137 (REF) (2) 172 AT RIBBON CABLE EDGE OF P137 RIBBON CABLE FROM CPU BOARD J6 (SEE SHEET 1) FASTEN TO FAR SIDE OF P74 (6)112 DETAIL "B" ALLOW SUFFICIENT SLACK IN CABLE TO OPEN TOP COVER IN EITHER DIRECTION

(REF SHT 1)


MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (HORIZONTAL ARM, COLLIMATOR AND TUBE UNIT ASSEMBLY)



MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (CABLE INSTALLATION)




MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (BATTERY INSTALLATION – GENESIS BATTERIES)



DIRECTION 2173228-100 **REV 11**


MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10(BATTERY INSTALLATION - PANASONIC BATTERIES)




NON-FUNCTIONAL HOLES. INSULATOR #1 HAVE TWO CUP-SHAPED BUMPS WITH NO HOLES. INSULATOR #1 MUST BE ORIENTED WITH BUMPS POINTING AWAY FROM YOU.


NOTE 3: ADD BATTERY SEPARATOR PADS BETWEEN BATTERIES 1 & 3, 2 & 4, 5 & 6, AND 7 & 8. DON'T REMOVE PAPER BACKING FROM BATTERY SEPARATOR PADS. ORIENT PADS WITH PAPER BACKING FACING UP.

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (DETAIL VIEWS)




MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (DETAIL VIEWS)







MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (DETAIL VIEWS)




MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (AID AEC AND TECH SWITCH REMOTE INSTALLATION)





MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10 (AID AEC AND TECH SWITCH REMOTE INSTALLATION)



MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10

2169360BOM

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
2	46-302158G2	BASE	1	1	AMX4+ TOP LEVEL BASE ASM. See Page 22.
3	46-302156G1	HORZ ARM ASM	1	1	AMX 4 HORIZONTAL ARM ASM. See Page 26.
4	2174198	COLUMN ASM	1	1	AMX-4+ COLUMN ASM - 76". See Page 29.
7	2174198-2	COLUMN ASM	1	1	FOR 2169360, -2, -3, -4, -7, -8, -9, -10 ONLY. AMX-4+ COLUMN ASM - 70". See Page 29.
					FOR 2169360-6 ONLY.
5	46-315159G7	GEN ASM	N	1	AMX-4+ GENERATOR ASM. See Page 34. FOR 2169360,-2,-3,-4,-7,-8,-9,-10 ONLY.
	46-315159G8	GEN ASM	N	1	AMX-4+ GENERATOR ASM. See Page 34. FOR 2169360-5, -6 ONLY.
6	46-270240P1	SPACER OLD	2	1	AMX 4 - SPACER PLASTIC
7	46-302370G1	CORD REEL	2	1	AMX 4 CORD REEL ASSEMBLY FOR IEC
•	10 002070011	001121122	_	•	FOR 2169360, -2, -3, -4 ONLY.
	46-303474P1	CORD REEL	1	1	CORD REEL W/9.5' RETRACTABLE CORD. FOR 2169360-5,-6,-7,-8,-9,-10 ONLY.
8*	46-220261P1	PLUG	2	1	15A 125V 2 POLE 3 WIRE HOSPITAL GRADE FOR 2169360-5,-6,-7,-8,-9,-10 ONLY.
	46-220382P1	PLUG	2	1	15A 250V 2 POLE 3 WIRE HOSPITAL GRADE FOR 2169360, -2, -3, -4 ONLY.
9	46-270231G2	TRAY ASM	1	1	AMX 4 CASSETTE TRAY. See Page 45.
10	46-270615P2	COLLIMATOR	1	1	AMX 4+ COLLIMATOR
11	46-270968P2	CLAMP OLD	2	1	AMX 4 – CABLE CLAMP
12	46-303785G2	RIGHT COVER	2	1	AMX4+ RIGHT COVER
13	46-303784G2	LEFT COVER	2	1	AMX4+ LEFT COVER
14	2172254	FRONT PANEL	2	1	FRONT PANEL, AMX4+
15	46-302164P2	REAR COVER	2	1	AMX4+ REAR KICK PLATE
16	46-303626G4	COVER ASM	2	1	COVER ASM (EMC, GRAY #4) See Page 46.
18	46-270602P1	MTG STRIP	N	2	AMX 4 GEN TO BASE MTG STRIP
19	46-259335P9	FUSE	1	2	6A, 250V TIME-DELAY FUSE.
		=110=			FOR 2169360-5,-6,-7,-8,-9,-10 ONLY.
	46-267217P22	FUSE	2	2	4.00A, 250V SLO BLO FUSE FOR 2169360, -2,-3,-4 ONLY.
20	46-286549P2	FUSE	2	2	FUSE CARRIER FOR 5MM X 20MM FUSE FOR 2169360, -2,-3,-4 ONLY.
21	46-270954G1	HV TRANS ASM	1	1	AMX 4 HIGH VOLTAGE TRNSFMR. See Page 48.
22	46-155750G207		1	1	AMX 75 (MIST GRAY)
23	2172008	CABLE PT	1	2	H.V.CABLE 3/C 3/PRONG 16.5 MM CABLE
24	46-125224P3	MECHANICAL/M	2	AR	G 635 THERMAL CONDUCTING COMPOUND.
25	2188371	CABLE	1	1	HANDSWITCH CABLE FOR THE AMX-4/4+
26	46-170509P1	MAGNETICS	2	1	FLEXIBLE PERMANENT MAGNETIC STRIP.
27	46-315136P1	EXTRUSION	2	1	AMX 4 - EXTRUSION GASKET
28	46-170686P2	ADHESIVE OLD	2	AR	LOCTITE 242, 10CC
29	46-270729P3	TRAY HANDLE	2	1	TRAY HANDLE - LIGHT BLUE

^{*} Not shown - included with cord reel.

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10

2169360BOM

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
30	46-270738P2	LABEL PT	2	1	CONTROL PANEL LABEL - GRAY #4
31	46-270739P2	LABEL PT	2	1	BLANK PANEL LABEL – GRAY #4
					FOR 2169360, -3, -56, -7, -9 ONLY.
32	46-315031P2	LABEL PT	2	1	LABEL TOP COVER/KEY SWITCH - GRAY #4
33	46-315281P1	INSULATOR OL	2	1	AMX 4 - RIGHT COVER INSULATOR
34	46-170015P27	SCREW	2	2	6-32 X 1/2 LG BIND HEAD SCREW
35	2150956-2	CABLE	2	1	AMX4+ EMC BASE TO COLUMN CABLE
37	46-270766G1	PANEL	2	1	AMX 4 TOP COVER – BLANK PANEL
•			_		FOR 2169360, -3, -5, -6, -7, -9 ONLY.
39	46-279005P1	HANGER	2	1	AMX 4 – HANDSWITCH HANGER
40	46-270781P2	PART	2	1	WEAR STRIP - GRAY # 4
41	46-270782P2	WEAR STRIP	2	2	WEAR STRIP - GRAY # 4
42	46-279010P1	END CAP	2	2	AMX 4 TUBE ENDS
40	46 07001701		0	4	AMX 4 HANGER CLAMP PLATE
43 44	46-279017G1 46-270785G2	HANGER CLAMP STRIP	2 2	1 2	WEAR STRIP
44 45	46-270786G2	STRIP	2	1	AMX4+ WEAR STRIP STIFFENER(REAR)
46*	46-270800G5	HAND SWITCH	1	1	ADVANTX CONSOLE/AMX HANDSWITCH
47A	46-329097P2	BATTERY	1	9	BATTERY 12 VOLTS 26 AH/KG, HAWKER
47B	2278932	BATTERY	1	9	BATTERY 12 VOLTS 26 AH, PANASONIC
48	46-270909G1	TRAY LOCK	2	1	AMX 4 CASSETTE TRAY LOCK
49	46-303993G1	KEY SW ASM	1	1	AMX 4 – KEY SWITCH ASM (W/O KEYS)
50	46-270912P1	HINGE OLD	2	1	RIGHT HAND SPECIAL
51	46-270912P2	HINGE OLD	2	1	LEFT HAND SPECIAL
53	46-270914P1	BRACKET	2	1	AMX 4 TUBE SUPPORT BRACKET
54	46-270915P1	MTG PLATE	2	2	AMX 4 TUBE MOUNTING BRACKET
55	46-208759P1	TY-RAP OLD	2	4	7.81" X .184" SELF-LOCKING CABLE TIE
56	46-270918P1	COVER	2	2	AMX 4 TUBE SUPPORT COVER
57	46-270919P1	BAR	2	1	AMX 4 TUBE SUPPORT SHAFT
58	46-170015P10	SCREW OLD	2	4	6-32 X 1/4" LG BIND HD STL EXT TOOTH
59	46-170012P36	NUT OLD	2	3/7	6-32 HEX 5/16 NUT THK 7/64, KEPS
39	40-170012530	NOT OLD	2	3/1	3 USED (2169360, -3, -5, -6, -7, -9)
					7 USED (2169360-2,-4,-8,-10)
60	46-136282P89	BEARING OLD	2	2	ID 0.1250" OD 0.5000" WIDTH 0.172"
61	46-220181P7	WASHER OLD	2	5	SCREW SIZE 1/4 (0.250) STL
62	46-270922P1	DISC	2	1	AMX 4 TUBE SUPPORT DISC
63	46-270923P1	DISC	2	1	AMX 4 BRK DISC
				0	
64	46-136380P15	WASHER OLD	2	2	ID 1.005 OD 1.77 THK .0642
65	46-279104P1	SPRING OLD	2	2	AMX 4 SPRING LATCH FOR TOP COVER
66 68	46-286549P1	FUSE	2	2	FUSE HOLDER FOR .25 X 1.25 FUSE,
68	46-270114P1	TERMINAL	2	1	4 POS TRAVEL PRESSURE PAD. FOR 2169360, -2, -3, -4 ONLY
69	46-302049P1	LABEL OLD	N	1	AMX 4 MAINS TERMINAL COLOR CODE
UJ	70 0020 4 31 1	LADEL OLD	IN	ı	FOR 2169360, -2, -3, -4 ONLY.
70	46-170183P15	BEARING OLD	2	1	ID 1.002 OD 1.552 ROLLER DIA 0.0781
	.00100110		_	•	

^{*} Furnished item - Not shown.

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10

2169360BOM

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
71	46-170183P16	BEARING OLD	2	2	ID 1.002 OD 1.552 THK 0.031 STEEL
72	46-279089P1	SPACER OLD	2	1	AMX 4 FOAM SPACER FOR TOP CVR
73	46-270928P1	BRACKET	2	2	AMX 4 TOP CVR SUPPORT
74	46-270929G1	PANEL	N	1	AMX 4 PROTECTIVE PANEL FOR TOP CVR
75	46-303031P2	BRACKET	N	1	LEFT BRACKET FOR DISPLAY BOARD
76 78 80 82 83	46-270931P3 46-303031P1 46-270947P1 46-230145P4 46-286598P1 46-286638P1	MECHANICAL/M BRACKET PLATE FASTENER OLD RELIEF BRKT BUSHING OLD	2 N 2 2 N	2 1 1 14 1	AMX 4 COL TO BASE OVER RIGHT BRACKET FOR DISPLAY BOARD AMX 4 HV XFMR RESTRAINT TINNERMAN P101-525-495 AMX 4 - STRAIN RELIEF BRACKET FOR 2169360, -2, -3, -4 ONLY. AMX 4 - STRAIN RELIEF FOR 2169360, -2, -3, -4 ONLY.
85 87 88 89	46-302064P1 46-208562P1 46-136323P38 46-208562P25	CABLE SCREW OLD TUBING OLD SCREW OLD	N 2 2	1 16 AR 8	AMX4 IEC FUSE CABLE. FOR 2169360, -2, -3, -4 ONLY. 00010-32 X 0.500 LG HEX SOC FLAT HD BLACK EXPANDED ID .187 FOR 2169360, -2, -3, -4 ONLY 1/4-20 X 0.500 LG HEX SOC FLAT HD
90 91 92 93 94 95	46-208562P49 46-279088P1 46-136356P17 46-219036P1 46-279022P1 46-170171P4	SCREW OLD COLLAR CAST WASHER OLD SCREW OLD LABEL RUBBER STR	2 2 2 2 2 N	8 1 2 3 1	1/4-20 X .625 SOCKET HEAD CAP SCREW AMX 4 INVESTMENT CASTING TO SECURE ID 1.004 OD 1.560 THK .035 STL 10-24 X 0.750 LG HEX SOC HD STL WARNING:DO NOT RECHARGE BATTERIES IN ADHESIVE BACKED, SPONGE RUBBER STRIP
100	46-170012P40	NUT OLD	2	6	1/4-20 HEX 7/16 NUT THK 3/16
101	46-279024P1	LABEL	2	2	AMX 4 - CIRCULAR LABEL IN MIST GRAY
103	46-279039P1	BAR	2	1	AMX 4 - STEEL BAR
104	46-279029P2	BAR	2	2	AMX 4 YOKE - STEEL BAR
105	46-279041P1	DISC	2	1	AMX 4 YOKE - DISC
106	46-170015P6	SCREW TAPE OLD SCREW OLD SCREW WASHER OLD	2	4	10-32 X 1/2 LG BIND HD STL EXT TOOTH
107	46-170106P2		2	AR	DBL COATED FILM .007 THK 17.0W
108	46-279030P3		N	6	10X0.75 PAN HD PHILLIPS
109	46-170015P27		2	11/16	6-32 X 1/2 LG BIND HEAD SCREW
110	1000904P39		2	5	ID 0.173 OD 0.375 THK .0299
111	12-276	WASHER OLD	2	8	ID 0.2040 OD 0.5630 THK .0478
112	46-170012P35	NUT OLD	2	24	6-32, 1/4" HEX KEPS NUT, 3/32 THICK
113	516A772P606	SCREW OLD	2	2	006-32 X 0.375 LG FLAT HD SST 18-8
114	46-170498P79	SCREW OLD	2	3	6-32 X 0.375 LG HEX SOC HD STL
115	46-170015P34	SCREW	2	4	4-40 X 3/8 LG BIND HD STL EXT TOOTH
117	46-221850P3	SCREW OLD	2	23	10-32 X 1/2 LG HEX FLANGE HEAD
119	46-303145P1	TRANSFERTAPE	2	AR	HIGH PERFORMANCE ADHESIVE
120	46-279096P1	COVER	N	1	COVER FOR AMX4 COLUMN JUNCTION BOX

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10

2169360BOM

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
121 122 123 124 125 126 127	46-279094P1 46-208734P15 46-170497P28 2156372 46-170498P12 46-279120G1 46-208697P25	INSULATOR OL SCREW OLD SCREW OLD COLUMN CAP SCREW OLD CABLE BUSHING OLD	2 2 2 2 2 2 2	1 2 2 1 8 1	COLUMN JUNCTION BOX INSULATOR 6-32 X 0.500 LG HEX WASHER 5/16 X-18 X 0.500 LG HEX SOC BUTTON TOP COVER FOR AMX4 COLUMN 10-32 X 1.000 LG HEX SOC HD STL AMX 4 X-RAY TUBE TO COLUMN CABLE HEYCO PART NO.1140 SR-5M-3 BLACK
129	46-208697P55	BUSHING OLD	2	1	HEYCO PART NO.1237, SR-7P-2 BLACK
130	46-208697P61	BUSHING OLD	2	2	HEYCO PART NO.1260 SR-8P-2 BLACK
131	46-208758P5	TY-RAP OLD	2	32	13.38"X .301" SELF-LOCKING CABLE TIE
136	46-170024P6	SCREW	2	2	SHLD DIA 0.187 X SHLD LG 0.125 THD
137	46-232832G1	CIRCUIT BD	1	1	DISPLAY AMX 4
138	46-264982G1	CIRCUIT BD	1	1	DISPLAY CONTROLLER BOARD ID 0.2813 OD 0.625 THK .050 1/4-20, 7/16" HEX X 3/16 THK, BRASS USED AS AN AMX4 BATTERY SPACER AS AMX4 BATTERY SPACER
142	12-281	WASHER OLD	2	4	
143	46-208935P8	NUT OLD	2	4	
149	46-321370G1	CIRCUIT BD	1	1	
150	46-329061P1	BAT SPACER 1	2	3	
151	46-329061P2	BATSPACER 1A	2	1	AMX4 BATTERY SPACER
152	46-329062P1	BAT SPACER 6	2	1	
153	46-329063P1	BAT SPACER 8	2	1	
155	46-329064P1	BAT SPACER 5	2	1	
156	46-329065P1	BAT SPACER 2	2	3	
157	46-316923G1	LEAD DATA CLAMP OLD FASTENER OLD NUT OLD SCREW	N	1	AMX 4 BATTERY HOOK-UP
158	46-279231P1		2	1	AMX 4 YOKE/WIRE CLAMP
159	46-136228P3		1	2	TINNERMAN C1287-832-1
160	46-208935P5		2	1	6-32, .313 HEX X .109 THK, BRASS
161	46-170015P19		2	5	6-32 X 3/8 LG BIND HD STL EXT TOOTH
162 163 164 165 167	46-170012P39 46-302200P9 46-270914P4 46-279469P1 46-302393P1 46-187787P1	NUT OLD RATING PLATE BRACKET CARD HOLDER LABEL OLD	2 N 2 2 2	6/7 1 1 1 1	10-32, 3/8" HEX KEPS NUT, 1/8" THICK BLANK RATING PLATE FOR SERIAL NO ETC AMX 4 YOKE - BRACKET AMX 4 - CARD HOLDER AMX 4 ENGLISH/FRENCH LABEL FOR 2169360, -2, -3, -4 ONLY CSA CERTIFICATION LABEL
170	46-220312P1	ADHESIVE OLD	2	AR	FOR 2169360-5, -6, -7, -8, -9, -10 ONLY LOCTITE SUPERBONDER 416, AMX 4 - CASSETTE TRAY STRAP WASHER - #8, 3/8 OD, .03 THICK PERMANENT BLACK MARKER, FINE POINT. LUBRICATING GREASE USED ON BEARINGS.
171	46-279403P1	MECHANICAL/M	2	1	
172	2182170	WASHER	N	2	
174*	46-279518P1	MECHANICAL/M	2	1	
175	46-170260P1	CHEMICAL OLD	N	AR	
180	46-208758P2	TY-RAP OLD	2	13	5.5" X .140" SELF-LOCKING CABLE TIE.
182	46-279094P2	INSULATOR OL	N	1	CPU/MOUNTING PLATE INSULATOR
183	46-136356P18	WASHER OLD	2	2	1" 1.01 O.D. 1.625+01,MATL

^{*} Furnished item - Not shown.

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10

2169360BOM

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
185 190	46-302380P1 46-286350P1	CPU COVER LABEL	2 2	1 1	AMX 4 CPU CIRCUIT BOARD COVER AMX 4 — NOTICE TAG
191 192 193 197 200	46-170498P11 1000904P476 46-170024P8 1000904P394 46-279773P1	SCREW WASHER OLD SCREW WASHER OLD LABEL	OLD2 2 2 2 2	5 5 2 4 1	1/4-20 X 1.000 LG HEX SOC HD STL ID 0.280 OD 0.820 THK .120 10-32 SLOTTED HEAD ID 0.2600 OD 0.5650 THK .0400 IEC ON SYMBOL
201 202 203 204 206	46-279772P1 46-279769P1 46-286542P1 46-286543P1 46-302035P1	LABEL LABEL LABEL LABEL RATING PLATE	2 2 2 2 2	1 1 1 1	IEC OFF SYMBOL IEC TYPE B SYMBOL AMX 4 FRENCH LABEL "NOMINAL HIGH AMX 4 FRENCH LABEL "TUBE NOMINAL AMX 4 BSI RATING PLATE FOR 2169360, -2, -3, -4 ONLY
207 209 210 224 225	46-302036P1 46-279768P1 46-329183P1 2171246 46-220181P5	RATING PLATE LABEL LABEL OLD CLAMP WASHER OLD	2 2 2 2 2	1 1 1 16 2	AMX 4 IEC RATING PLATE FOR 2169360, -2, -3, -4 ONLY IEC HIGH VOLTAGE SYMBOL AMX 4 BATTERY POLARITY AMX4+ 16.5MM DIAMETER HV CABLE CLAMP #10 (0.190) SCREW, ZINC PLATED STEEL
226 228 230 232* 233	46-279784P1 46-221850P9 46-303430P1 46-303652P2 2173493	MECHANICAL/M SCREW OLD LABEL OLD PART CLAMP	2 2 2 1 2	4 4 1 2 1	COUNTERWEIGHT SHIM PLATE 10-32 X .375 LG WHIZ LOCK BATTERY REPLACEMENT HISTORY LABEL KEY CAP – LIGHT BLUE P CLAMP FOR COILED CORD STRAINRELIEF
239* 240 241 242 243	46-315954P1 46-316223G1 46-279081P1 46-315933P2 46-170015P23	LABEL OLD LEAD DATA INSULATION TRIM BAR SCREW	2 N 2 2	1 1 1 1 3	LABEL FOR CASSETTE BIN — ENG/FRENCH AMX 4 — ESD STRAP 13" X 13" X .031" FISH PAPER. AMX4 PLUS TRIM BAR SCREW
244 245* 246* 247* 248*	46-315998P1 46-315954P2 46-315954P3 46-315954P4 46-315954P5	CUSHION LABEL OLD LABEL LABEL OLD LABEL OLD	2 2 2 2 2	1 1 1 1	POLYETHYLENE FOAM 2.2# DENSITY PE LABEL FOR CASSETTE BIN — ENG/SPANISH LABEL FOR CASSETTE BIN — ENG/GERMAN LABEL FOR CASSETTE BIN — ENG/ITALIAN LABEL FOR CASSETTE BIN — ENG/JAPANESE
249	46-316386P1	BARRIER	N	1	SHIELD LEXAN .125 THK. FOR 2169360, -2, -3, -4 ONLY
251	46-271110P1	LABEL	2	1	PROTECTIVE EARTH (GROUND). FOR 2169360, -2, -3, -4 ONLY
253 255 256	1000904P171 46-316784P2 46-316783P1	WASHER OLD LABEL,LOCK LABEL,SWITCH	2 2 2	4 3 1	ID 0.266, OD 0.5, THK .032, F70B5A IEC SYMBOL LOCK RELEASE – GE GRAY #4 IEC SYMBOL FOR EXPOSURE HANDSWITCH

^{*} Furnished item - Not shown.

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10

2169360BOM

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
253 255 256 260	1000904P171 46-316784P2 46-316783P1 46-329102P1	WASHER OLD LABEL,LOCK LABEL,SWITCH LABEL OLD	2 2 2 N	4 3 1 9	ID 0.266, OD 0.5, THK .032, F70B5A IEC SYMBOL LOCK RELEASE – GE GRAY #4 IEC SYMBOL FOR EXPOSURE HANDSWITCH BATTERY LABEL FOR INSTALLATION
261 262 263	46-329088P2 46-316915G2 46-329091P1	PLATE TER CABLE CABLE	2 1 N	18 1 2	90DEG. ANGLE BATTERY TERM. BRACKET BATTERY TEST HARNESS CABLE WITH A BATTERY INTERCONNECT CABLE #1 W/BATTERY VOLTAGE SENSE LEAD
264	46-329091P2	CABLE	N	1	BATTERY INTERCONNECT CABLE #2 W/BATTERY VOLTAGE SENSE LEAD
265	46-329091P3	CABLE	N	1	BATTERY INTERCONNECT CABLE #3 W/BATTERY VOLTAGE SENSE LEAD
266	46-329091P4	CABLE	N	1	BATTERY INTERCONNECT CABLE #4 W/BATTERY VOLTAGE SENSE LEAD
267	46-329091P5	CABLE	N	1	BATTERY INTERCONNECT CABLE #5 W/BATTERY VOLTAGE SENSE LEAD
268	46-329091P6	CABLE	N	1	BATTERY INTERCONNECT CABLE #6 W/BATTERY VOLTAGE SENSE LEAD
269	46-329091P7	CABLE	N	2	BATTERY INTERCONNECT CABLE #7 W/BATTERY VOLTAGE SENSE LEAD
270	46-329091P8	CABLE	N	1	BATTERY INTERCONNECT CABLE #8 W/BATTERY VOLTAGE SENSE LEAD
272 273 274 275	46-208560P13 46-328432P3 46-328425P2 46-279732P4 2100969	SCREW OLD WASHER NUT AEC MODULE	2 2 2 N	2 36 18 1	4-40 X 1/2 LG BIND HEAD STL WASHER LOCK - SPRING 6.1 MM 11.8 MM NUT HEXAGON 6 MM AEC ELECTRONICS ASSEMBLY FOR 2169360-2, -4, -8, -10 ONLY. BATTERY SEPARATOR PAD
277	46-279732P7	PADDLE	N	1	ION CHAMBER W/ATTACHED EXT. CABLE FOR 2169360-2, -4, -8, -10 ONLY.
278	46-279732P9	PUSHBUTTON A	SMN	1	NOTE: CABLE STOCK AS – AID3383 AMX4+ AEC PANELW/BACKING PLATE FOR 2169360-2, -4, -8, -10 ONLY.
279*	46-279732P5	AEC MANUAL	N	1	AEC OWNERS MANUAL FOR 2169360-2, -4, -8, -10 ONLY.
280	46-279732P6	PADDLE HOLDER	R N	1	PADDLE HOLDER ASSEMBLY
282	46-170012P61	NUT OLD	2	6	FOR 2169360-2, -4, -8, -10 ONLY. 0006-32 HEX .313 NUT HT178 FOR 2169360-2, -4, -8, -10 ONLY.
283	46-208747P1	CABLE TIE	2	2	BACKED, PANUIT CORP, ABMM-A (STYLE A) FOR 2169360-2, -4, -8, -10 ONLY
284 285	46-208560P41 46-170497P36	SCREW SCREW	2 2	2/6 4	8-32 X 0.250 LG BIND HD STL FOR 2169360-2,-4,-8,-10 ONLY (EARLY UNITS)


^{*} Furnished item - Not shown.

MAJOR COMPONENTS, 2169360, -2, -3, -4, -5, -6, -7, -8, -9, -10


2169360BOM

286	Item	Part Number	Name	FRU	Quantity	Description (Remarks)
287	286	46-208758P3	TY-RAP OLD	2	5	
288	287	46-208758P1	TY-RAP OLD	2	10	3.62" X .094" CABLE TIE.
291 2114832 CABLE 2 1 CABLE FOR AMX4.						EMI GASKET, CHOMERICS 01-1392-6902
293						
295 2135423 PANEL 2 1 AMX 4 PANEL TECHSW KIT N 1 TECHSWITCH REMOTE EXPOSURE SWITCH FOR 2169360-3, -4, -9, -10 ONLY. INCL: 2144117-2 TECHSW RECEIVER (1) 2144117-3 TECHSW TRANSMITTER (2) 2144117-4 MOLEX-MODULAR ADAPTOR (1) 2144117-5 IDC CONNECTORS 92) 2144117-6 CRADLE (1) 2144117-6 CRADLE (1) 2144117-7 TECHNICAL INFO MANUAL (2) 2144117-8 USER INTO MANUAL (2) 2149328 MECHANICAL/M N 1 RF GROUNDING STRAP 300 2117390 LABELS N 1 CE INTERNATIONAL APPROVAL LABEL FOR 2169360, -2, -3, -4 ONLY. 46-29754962 CABLE, GND 2 1 AMX EMC GROUND STRAP 310 46-29754962 CABLE, GND 2 1 AMX EMC GROUND STRAP 310 46-208561P22 SCREW 2 7 NOT REQUIRED FOR 2169360-2 311 1000904P59 WASHER OLD 2 9 ID 0.266 OD 500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
FOR 2169360-3, -4, -9, -10 ONLY. INCL:						
298 2107112 MISC ELECTRO 1 2 FERRITX2 ASSEMBL+ENV NYLON/CABL RON 299 2149328 MECHANICAL/M N 1 RF GROUNDING STRAP 300 2117390 LABELS N 1 CE INTERNATIONAL APPROVAL LABEL FOR 2169360, -2, -3, -4 ONLY. 303 91664707 FASTENER N 2 ATTACHE CABL FERM D7,9X9,5 METAL M4 304 46-297549G2 CABLE, GND 2 1 AMX EMC GROUND STRAP 310 46-208561P22 SCREW 2 7 NOT REQUIRED FOR 2169360-2 311 1000904P59 WASHER OLD 2 9 ID 0.266 OD .500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 <td>297</td> <td>2144117</td> <td>TECHSW KIT</td> <td>N</td> <td>1</td> <td>FOR 2169360-3, -4, -9, -10 ONLY. INCL: 2144117-2 TECHSW RECEIVER (1) 2144117-3 TECHSW TRANSMITTER (2) 2144117-4 MOLEX-MODULAR ADAPTOR (1) 2144117-5 IDC CONNECTORS 92) 2144117-6 CRADLE (1) 2144117-7 TECHNICAL INFO MANUAL (2) 2144117-8 USER INTO MANUAL (2)</td>	297	2144117	TECHSW KIT	N	1	FOR 2169360-3, -4, -9, -10 ONLY. INCL: 2144117-2 TECHSW RECEIVER (1) 2144117-3 TECHSW TRANSMITTER (2) 2144117-4 MOLEX-MODULAR ADAPTOR (1) 2144117-5 IDC CONNECTORS 92) 2144117-6 CRADLE (1) 2144117-7 TECHNICAL INFO MANUAL (2) 2144117-8 USER INTO MANUAL (2)
299 2149328 MECHANICAL/M N 1 RF GROUNDING STRAP 300 2117390 LABELS N 1 CE INTERNATIONAL APPROVAL LABEL FOR 2169360, -2, -3, -4 ONLY. 303 91664707 FASTENER N 2 ATTACHE CABL FERM D7,9X9,5 METAL M4 304 46-297549G2 CABLE, GND 2 1 AMX EMC GROUND STRAP 310 46-208561P22 SCREW 2 7 NOT REQUIRED FOR 2169360-2 311 1000904P59 WASHER OLD 2 9 ID 0.266 OD .500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4-PLUS 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
FOR 2169360, -2, -3, -4 ONLY. 303 91664707 FASTENER N 2 ATTACHE CABL FERM D7,9X9,5 METAL M4 304 46-297549G2 CABLE, GND 2 1 AMX EMC GROUND STRAP 310 46-208561P22 SCREW 2 7 NOT REQUIRED FOR 2169360-2 311 1000904P59 WASHER OLD 2 9 ID 0.266 OD .500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 LABEL FOR SIDES OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 321 2170181 LABEL PT 2 1 LABEL FOR SIDE OF AMX4-PLUS 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
303 91664707 FASTENER N 2 ATTACHE CABL FERM D7,9X9,5 METAL M4 304 46-297549G2 CABLE, GND 2 1 AMX EMC GROUND STRAP 310 46-208561P22 SCREW 2 7 NOT REQUIRED FOR 2169360-2 311 1000904P59 WASHER OLD 2 9 ID 0.266 OD .500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4-PLUS 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL	300	2117390	LABELS	Ν	1	
310 46-208561P22 SCREW 2 7 NOT REQUIRED FOR 2169360-2 311 1000904P59 WASHER OLD 2 9 ID 0.266 OD .500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4-PLUS COLLIMAT 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL	303	91664707	FASTENER	Ν	2	
311 1000904P59 WASHER OLD 2 9 ID 0.266 OD .500 THK .094 312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4-PLUS COLLIMAT PLUS COLLIMAT 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL			•			
312 46-170498P2 SCREW OLD 2 12 10-32 X 0.750 LG HEX SOC HD STL 320 2170180 LABEL PT 2 2 LABEL FOR SIDES OF AMX4 PLUS FOR 2169360, -2, -3, -4 ONLY. 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4-PLUS COLLIMAT PLUS COLLIMAT 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
FOR 2169360, -2, -3, -4 ONLY. 321 2170181 LABEL PT 2 2 LABEL FOR SIDE OF AMX4-PLUS 322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
322 2170182 LABEL PT 2 1 LABEL FOR SIDE OF AMX4 PLUS COLLIMAT 325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL	320	2170180	LABEL PT	2	2	
325 2114831 VIDEO TAPE N 1 2169360-7, -8, -9, -10 ONLY 326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
326 46-208908P20 SCREW 2 2 6-32 X 1/2 LG BIND HD STL						
	327	46-279308P1	LABEL	2	3	CAUTION 120V PRESENT AT ALL TIMES
328 46-208560P27 SCREW OLD 2 1 6-32 X 0.500 LG BIND HD STL 329 208599P2 WASHER - STA 2 1/2 #6 SCREW SIZE, EXTERNAL TOOTH						

AMX4+ TOP LEVEL BASE ASSEMBLY (INCLUDES 46-302158G2)



AMX4+ TOP LEVEL BASE ASSEMBLY (INCLUDES 46-302158G2)



REV 11

DIRECTION 2173228-100

AMX4+ TOP LEVEL BASE ASSEMBLY (INCLUDES 46-302158G2)

46-302158BOM2


Item	Part Number	Name	FRU	Quantity	Description (Remarks)
2	46-270193G8	BAS WELDMENT	2	1	AMX4 PLUS BASE WELDMENT WITH HEAVY
4	46-270828G1	BRAKE ASM	2	2	AMX 4 BASE ASM
8	46-303780P1	SHOCK/CASTER	2	2	AMX 4 SHOCK ABSORBING SPRING CASTER
9	46-220181P7	WASHER OLD	2	20	SCREW SIZE 1/4 (0.250) STL
10	46-302808P2	PART	2	1	FRONT BUMPER HOUSING GRAY # 4
13 14 15 16 17	46-286279P5 46-170498P16 46-170015P10 46-170012P39 46-302204P1	NUT OLD SCREW OLD SCREW NUT OLD GROUND BAR	2 N 2 2	8 8 18 5 1	3/8-16 FLANGED NUT 1/4-20 X 0.750 LG HEX SOC HD STL 6-32 X 0.250 LG BIND HD STL EXT TOOTH 10-32, 3/8" HEX KEPS NUT, 1/8" THICK AMX 4 BRASS BAR FOR MAIN CHASSIS GND
18	46-220181P5	WASHER OLD	2	8	#10 (0.190) SCREW, ZINC PLATED STEEL 1/4-20 X 1.500 BRASS THD TO HD 1/4 EXTERNAL TOOTH PHOS, BRONZE SPDT, GENERAL USE, BASIC SWITCH.
19	46-208939P1	SCREW OLD	2	2	
20	46-208599P19	WASHER OLD	2	2	
21	46-170498P169	SCREW OLD	2	8	
22	46-136334P53	SWITCH	2	2	
23	46-220189P3	FASTENER OLD	2	6	STUD RECEIVER .135 HOLE DIA .685 CD
24	46-220187P4	RIVET OLD	2	12	DIA .125 HOLE .126130275 LG
25	46-270683P1	SPLASH GUARD	2	2	AMX 4 - SPLASH GUARD (BASE ASSEMBLY)
26	46-302244P1	CHANNEL	2	2	AMX 4 OUTER BEARING TRACK FOR FRONT
27	46-270399P1	BRACKET	2	2	AMX 4 - BRACKET (BUMPER ASSEMBLY)
28	46-270395P2	BUMPER OLD	N	1	AMX4 PLUS BUMPER
29	46-270398P1	SCREW	N	8	1/4-20 X 3/8 SCREW
30	1000274P471	SPACER OLD	2	8	ID 0.485 OD 0.550 LG 0.288 B4B18
31	46-136282P63	BEARING OLD	2	8	ID 0.4724" OD 1.2598" WIDTH 0.3937"
32	46-270397P1	BAR	N	8	AMX 4 - 1/4-20 THREADED SHAFT
33	46-170490P50	SPRING OLD	2	2	OD 0.650 WIRE DIA .055
34	46-208560P15	SCREW OLD	2	4	8-32 X 1.250 LG BIND HD STL
35	46-302245P1	SPRING	2	2	AMX 4 SPRING FOR BUMPER SWITCHES
36	46-170012P36	NUT OLD	2	2	6-32 HEX 5/16 NUT THK 7/64, KEPS
37	46-208560P16	SCREW OLD	2	4	2-56 X 0.50 LG BIND HD STL
38	46-303027P1	SWITCH BRKT	2	1	AMX 4 BASE – SPRING BRACKET
40	46-208695P81	BUSHING OLD	2	2	HEYCO PART NO.2240 SB-1500-21 BLACK
42	403B335P2	TERMINAL	2	1	04 POSITION TERMINAL STRIP, 20 AMP,
43	46-170015P37	SCREW	2	4	6-32 X 0.625 LG BIND HD STL EXT TOOTH
44	46-270746P2	PART	2	2	WEAR STRIP WITH GRAY # 4.
45	46-270783P2	STRIP PART PART SCREW OLD SCREW OLD	2	2	WEAR STRIP STIFFENER – GRAY # 4
46	46-270980P3		2	1	RIGHT CORNER PAD – GRAY # 4
47	46-270981P3		2	1	LEFT CORNER PAD – GRAY # 4
50	46-208908P22		2	4	6-32 X 0.500 SLOT FLT HD
51	46-208560P10		2	4	10-32 X 1.250 LG BIND HD STL

AMX4+ TOP LEVEL BASE ASSEMBLY (INCLUDES 46-302158G2)


46-302158BOM2

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
54 56 57 60 61	46-279297P1 46-279869P1 46-279292P1 46-208948P5 46-170012P40	BELT OLD SPRING OLD SCREW OLD NUT OLD NUT OLD	2 2 N 2	2 2 2 2 8	SIZE 3V TOP WIDTH 0.375 LG 026.500 OD1.000 WIRE DIA . MAX LB 001/4-20 THD LG .50 TO HOLD SPRING 1/4-20 .438 HEX X .226 THK, 18-8 SST 1/4-20 HEX 7/16 NUT THK 3/16
62 63 65 68 70	46-208948P3 46-302772P1 46-170686P2 46-302023P1 46-302024G1	NUT OLD SEMICONDUCTO ADHESIVE OLD COLUMN SUPP BRAKE CABLE	2 2 2 N 2	2 1 AR 1 1	1/2-13, 3/4" HEX, 7/16" THK 18-8 SST 1N4936 0400V 001.00A FAST REC LOCTITE 242, 10CC AMX 4 VERTICAL COLUMN SUPPORT AMX 4 ROTATIONAL BRAKE CABLE
71 75 76 77 78	46-208759P1 12-275 46-208561P22 46-270749G1 46-208697P25	TY-RAP OLD WASHER OLD SCREW OLD END CAP BUSHING OLD	2 2 2 2 2	1 16 12 1 2	7.81" X .184" SELF-LOCKING CABLE TIE ID 0.2656 OD 0.75 THK .050 1/4-20 X 0.625 LG HEX HD STL AMX 4 BATTERY COMPARTMENT COVER HEYCO PART NO.1140 SR-5M-3 BLACK
80 81 82 83 84	46-271110P2 46-302021P1 46-302162G1 46-270166P6 46-286973G1	LABEL COVER MOTOR ASM CASTER OLD DISC ASM	2 2 2 2 2	1 1 2 2 2	AMX 4 COVER PLATE FOR LOWER COLUMN AMX 4 MAIN DRIVE MOTOR ASM AMX 4 DRIVE WHEEL,SLIP CLUTCH DESIGN AMX 4 — DISC ASSEMBLY
85 86 87 88 89	46-286978P1 46-170260P1 46-302163P1 46-302166P1 46-302166P2	SUPP ANGLE CHEMICAL OLD MOTOR MOUNT INSULATOR OL INSULATOR OL	2 N 2 2	2 AR 2 1	AMX 4 BASE — SUPPORT ANGLE BRACKET LUBRICATING GREASE USED ON BEARINGS. AMX 4 MOTOR MOUNT FOR MAIN DRIVE AMX 4 BATTERY INSULATOR FOR BOTTOM AMX 4 BATTERY INSULATOR FOR TOP
90 91 92 93 94	46-150917P1 46-150917P2 46-150917P5 46-150917P6 46-315019P1	TY-RAP OLD TY-RAP OLD TY-RAP OLD TY-RAP OLD LABEL	2 2 2 2 2	1 1 1 1	NYLON TY-RAP W/MARKINGS (1) 2 (MARK) T&B TY-24-M-0 BLK OR EQ. 5 (MARK) T&B TY-24-M-0 BLK OR EQ. 6 (MARK) T&B TY-24-M-0 BLK OR EQ.
95 96 97 98 99	1000904P171 46-208758P2 46-303027P2 46-208935P8 46-170686P2	WASHER OLD TY-RAP OLD SWITCH BRKT NUT OLD ADHESIVE OLD	2 2 N 2 2	2 3 1 2 AR	ID 0.266, OD 0.5, THK .032, F70B5A 5.5" X .140" SELF-LOCKING CABLE TIE. AMX 4 BASE - SPRING BRACKET 1/4-20, 7/16" HEX X 3/16 THK, BRASS LOCTITE 242, 10CC
100 101 102 103	46-170015P19 46-170015P21 46-208561P2 46-220205P4	SCREW SCREW SCREW OLD WASHER OLD	2 2 2 2	8 6 2 2	6-32 X 0.375 LG BIND HD STL EXT TOOTH 10-32 X 0.625 LG BIND HD STL EXT TOOTH 1/2-13 X 1.000 LG HEX HD STL ID 0.500 OD 1.25 THK 0.0781

HORIZONTAL ARM ASSEMBLY, 46-302156G1, AMX3A2



HORIZONTAL ARM ASSEMBLY, 46-302156G1, AMX3A2



HORIZONTAL ARM ASSEMBLY, 46-302156G1, AMX3A2

46-302156BOM1 REV 10


Item	Part Number	Name	FRU	Quantity	Description (Remarks)
2 3 4 5	46-302183P1 46-302185P1 46-270324P2 46-270325P1	INNER ARM OUTER ARM WEAR STRIP WEAR STRIP	N 2 2 2	1 1 1 4	AMX 4 INNER ARM MACHINING AMX 4 OUTER TUBE MACHINING
6 7 8 9 10	46-220277P8 46-270328P1 46-139468P2 46-270324P1 46-208580P16	RETAINING RI BAR BEARING OLD WEAR STRIP CAM FOLLOWER	2 2 2 2 2	4 1 4 1 4	EXT RADIAL MOUNT 0.375 SHAFT DIA ID 0.3937 OD 1.1811 WIDTH 0.3543 ROLLER DIA 0.625 ROLLER WIDTH 0.406
16 17 18 19 20	46-270851P1 46-270851P2 46-136282P93 46-302399P1 46-302237G1	BRG SPACER BRG SPACER BEARING OLD BUMPER OLD BRAKE	2 2 2 2 2	2 2 2 2 1	ID 0.3125" OD 0.6882" WIDTH 0.2500" AMX 4 HORZ ARM MID TUBE AMX 4 HORIZONTAL ARM
21 22 25 26 27	46-302184P1 46-270329P1 46-302133P1 46-302136P1 46-136282P76	CENTER ARM BAR MTG BLOCK CHAIN SHAFT BEARING OLD	N 2 2 2 2	1 1 1 1	AMX 4 CENTER ARM MACHINING AMX4 HORZ ARM CHAIN/CABLE ATTACHMENT AMX 4 HORZ ARM SPROCKET/CHAIN SHAFT ID 0.3750" OD 0.8750" WIDTH 0.2812"
30 31 33 35 36	46-170498P31 1000904P171 1000904P516 46-302132P1 46-170498P107	SCREW OLD WASHER OLD WASHER OLD PULLEY CABLE SCREW OLD	2 2 N 2	16 4 1 1 3	ID 0.266, OD 0.5, THK .032, F70B5A .377 1D, .625 0D, .015 THK AMX 4 HORZ ARM
38 39 45 46 47	46-208562P1 46-302130P1 46-170686P3 46-279011P1 46-302168P1	SCREW OLD PULLEY SHAFT ADHESIVE OLD BRACKET ANCHOR	2 2 2 2 2	5 1 AR 1 1	AMX 4 HORZ ARM LOCTITE 242, 50CC AMX 4 HORZ ARM CONNECTOR AMX 4 HORZ ARM CABLE ANCHOR
48 49 50 51 56	46-302131P1 46-116981P89 46-170685P1 46-220312P1 46-303033P1	SPROCKET CHAIN OLD ADHESIVE OLD ADHESIVE OLD NUT PLATE	N 2 2 2 N	1 1 AR AR 1	AMX 4 HORZ ARM NO. 25 013.25 LG WITH 2 CONN LINKS LOCTITE 609 RETAINING COMPOUND. 50ML LOCTITE SUPERBONDER 416, AMX 4 HORIZONTAL ARM
57 58 59 60 61	46-279078G1 46-208713P2 46-208697P25 12-297 46-220181P3	CABLE ASSY CLAMP OLD BUSHING OLD WASHER OLD WASHER OLD	2 2 2 2 2	1 1 1 3 3	FOR AMX 4 HORZ. ARM CABLE OD 0.1875" HEYCO PART NO.1140 SR-5M-3 BLACK ID 0.140 OD 0.312 THK .032 STL #6 SCREW SIZE (0.138), STEEL, ZN PLT

HORIZONTAL ARM ASSEMBLY, 46-302156G1, AMX3A2

46-302156BOM1

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
62 63 64 65 66	46-208949P1 46-220181P7 46-170498P14 46-208562P3 46-279098P1	NUT OLD WASHER OLD SCREW OLD SCREW OLD PIN OLD	2 2 2 2 2	4 4 8 6 1	001/4-28 .438 HEX X .219 THK F70B5A SCREW SIZE 1/4 (0.250) STL AMX 4 HORZ ARM HORZ LOCK
67 69 70 71 72	46-279099P1 2123249 46-302319P1 46-279401P1 46-170260P1	SPRING OLD PIN MTG PLATE MECHANICAL/M CHEMICAL OLD	2 N N 2 N	1 1 1 12 AR	OD 0.609 WIRE DIA .035 MAX LB AMX-4 DELRIN LATCH PIN AMX 4 UPPER LATCH MOUNTING PLATE HORIZONTAL ARM SHIM .008 THICK BRASS LUBRICATING GREASE USED ON BEARINGS.
73 74 75 76 78	1000904P508 46-303032P1 46-279401P2 46-170498P32 46-302134P1	WASHER OLD WEAR BLOCK MECHANICAL/M SCREW OLD PULLEY	2 2 2 2 N	1 1 2 2 1	ID .312 OD .625 THK .032 AMX4 HORIZONTAL ARM HORIZONTAL ARM .004 THICK SS SHIM AMX 4 HORZ ARM
79 80 81 82 83	46-302120P1 46-302155P1 46-170012P36 46-208563P36 46-302605P1	PULLY BAR CABLE BAR NUT OLD SCREW OLD MTG BLOCK	2 2 2 2 N	1 1 1 1 8	AMX 4 HORZ ARM PULLEY/BRAKE MTG BAR AMX 4 HORZ ARM CABLE SUPPORT OUTER A 6-32 HEX 5/16 NUT THK 7/64, KEPS AMX 4 HORZ ARM SIDE BRG BLOCKS
84 85 86 87 88	46-270325P2 46-286025P1 46-220410P1 46-170020P68 46-182691P102	WEAR STRIP SPACER OLD BEARING OLD PIN OLD RATING PLATE	2 2 2 N 2	4 8 8 8	SPACER .343 ID X .450 OD X .375 LG BORE 0.1883 OD 0.3473 WIDTH 0.375 NOMINAL DIA 0.187 X 0.625 LG STD S-00
89 90 91 92 93	46-136380P15 46-270923P1 46-270913P2 46-136356P18 46-270923P2	WASHER OLD DISC MTG PLATE WASHER OLD DISC	2 2 2 2 2	2 1 1 3 1	ID 1.005 OD 1.77 THK .0642 AMX 4 BRK DISC 1" 1.01 O.D. 1.625+01,MATL
94 95 97 98 99	46-136353P109 46-270917P1 46-163294P1 46-279040P1 46-270921P1	SPRING OLD COVER WASHER OLD SPRING COVER BAR	2 2 2 2 2	2 1 8 2 1	OD 0.300 WIRE DIA 0.045 MUSIC WIRE AMX-4 WRIST ACTION COVER ID 0.255 OD 0.421 THK .060 AMX-4 DETENT BEARING SHAFT
100 101 102 104 105	46-136282P51 46-208560P36 46-170498P103 46-316292P2 46-316293P1	BEARING OLD SCREW OLD SCREW OLD LOCTITE LOCTITE	1 2 2 N N	1 4 2 AR AR	ID 0.1250" OD 0.3750" WIDTH 0.1562" LOCTITE STRUCTURAL ADHESIVE LOCTITE SOLVENTLESS PRIMER
106 107 108	46-316197P1 2123248 2123248-2	MAGNET LATCH EAR PART	N N N	1 1 1	MAGNET USED FOR AMX-4 LATCH WITH AMX-4 LATCH BRACKET FOR HALL EFFECT AMX-4 LATCH BRACKET FOR HALL EFFECT

76" COLUMN ASSEMBLY, 2174198 70" COLUMN ASSEMBLY, 2174198-2



76" COLUMN ASSEMBLY, 2174198 70" COLUMN ASSEMBLY, 2174198-2

2174198BOM REV 0


<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
2 4 5 6 7	46-270306G3 2154908-2 2156174-2 46-302018P1 46-270284G1 46-136282P87	CARRIAGE ASY COLUMN ASM COLUMN ASM APRON HGR CTW CAST BEARING OLD	1 2 2 2 N 2	1 1 1 1 1 2	FOR 2154908 COLUMN FOR 2174198. FOR 2174198-2. AMX 4 VERTICAL COLUMN APRON HANGER AMX 4 - LEAD COUNTERWEIGHT CASTING ID 1.7717" OD 3.3465" WIDTH 0.7480"
9 10 12 13 14	2170557 46-220187P4 46-302017P1 46-286951P1 46-302424P1 46-286952P1 46-302425P1 46-302125P1	AMX4+ DETENT RIVET OLD MECHANICAL/M WEAR STRIP WEAR STRIP WEAR STRIP WEAR STRIP MECHANICAL/M	2 2 2 2 2 2 2 2	1 2 1 1 1 1 1	AMX4+ BEARING PLATE DIA .125 HOLE .126130275 LG AMX 4 ROTATIONAL BRAKE 6.62 WIDE X 67 LG. FOR 2174198. 6.62 WIDE X 61 LG. FOR 2174198-2. 5.00 WIDE X 67 LG. FOR 2174198. 5.00 WIDE X 61 LG. FOR 2174198-2. AMX 4 RUBBER PAD FOR UNDERSIDE
16 17 18 19 20 21	46-220179P31 46-220179P11 2118044 46-302025P1 46-270280P1 46-286993P1	RETAINING RI RETAINING RI KEY KEY OLD PULLEY SHAFT OLD	2 2 2 2 2 N	1 3 1 1 2 1	EXT AXIAL MOUNT 1.772 SHAFT DIA EXT AXIAL MOUNT 0.469 SHAFT DIA KEY 1.20 LONG X .125 SQ. B4A2C4 AMX 4 ROTATIONAL BRAKE KEY PULLEY AMX 4 LOWER PULLEY SHAFT
22 23 25 26 27 28 29	46-286992P1 46-136282P88 46-208912P7 1000904P153 46-208563P34 46-270289P1 46-286994P1	COL BASE BEARING OLD SCREW OLD WASHER OLD SCREW OLD RET CLIP PULLEY MOUNT	N 2 N 2 2 2	1 4 11 11 4 2 1	AMX 4 LOWER PULLEY MOUNT FOR ID 0.4724" OD 1.2598" WIDTH 0.3937" SCREW ID 0.4060 OD 0.7500 THK .0598 6-32 X 0.375 LG HEX SOC CUP PT RETAINER CLIP AMX 4 UPPER SUPPORT FOR PULLEY AND
30 31 32 34 35	46-286025P1 46-208734P15 46-302656P1 46-270317P1 46-279187P1	SPACER OLD SCREW OLD BAR BAR PUSH ON RING	2 2 2 2 2	8 13 1 1 2	SPACER .343 ID X .450 OD X .375 LG 6-32 X 0.500 LG HEX WASHER AMX 4 UPPER PULLEY SHAFT BAR .1875 DIA X 5.18 LG SHAFT DIA .184/.192 OD .444
36 37 41 42	46-270509P1 46-270509P2 46-270508P1 46-270508P2 46-170498P184 46-302609P1	CABLE OLD CABLE OLD CABLE OLD SCREW OLD BRAKE	2 2 2 2 2 2	2 2 1 1 12 1	7 X 19 X 68.44 LG STL. FOR 2174198 7 X 19 X 62.19 LG STL. FOR 2174198-2. 7 X 19 X 65.27 LG STL. FOR 2174198. 7 X 19 X 59.27 LG STL. FOR 2174198-2. 10-32 X 0.75 LG INTERNAL SOCKET HD AMX 4 VERTICAL BRAKE STATIC TORQUE
43 44 47 49 50 51	46-270507P1 46-170686P2 46-302016P1 46-270984P1 46-270984P2 46-208695P13	COVER PLATE ADHESIVE OLD SLEEVE SPRING OLD SPRING OLD BUSHING OLD	2 2 2 2 2 2	1 AR 1 1 1	COVER PLATE LOCTITE 242, 10CC AMX 4 BEARING SPACER FOR LOWER BRAKE OD 0.304 WIRE DIA .035 NO.COILS 7.75 OD 0.304 WIRE DIA .035 NO.COILS 7.75 HEYCO PART NO.2043 SB-437-5 BLACK

76" COLUMN ASSEMBLY, 2174198 70" COLUMN ASSEMBLY, 2174198-2

2174198BOM

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
55 56 60 61 65 70	46-170024P8 46-208949P1 46-279094P1 403B335P9 46-170012P40 46-220410P1	SCREW NUT OLD INSULATOR OL TERMINAL NUT OLD BEARING OLD	2 2 2 2 2 2	4 4 1 2 4 8	10-32 SLOTTED HEAD 001/4-28 .438 HEX X .219 THK F70B5A COLUMN JUNCTION BOX INSULATOR 08 POSITION TERMINAL STRIP, 20 AMP, 1/4-20 HEX 7/16 NUT THK 3/16 BORE 0.1883 OD 0.3473 WIDTH 0.375
71 73 75 76 77 78	46-136282P45 1000904P507 46-302015P1 46-302019P1 46-136353P113 46-220179P9	BEARING OLD WASHER OLD BAR CUP SPRING OLD RETAINING RI	2 2 2 N 2	4 4 2 2 4 4	ID 0.3937" OD 1.1811" WIDTH 0.3543" ID 0.422 OD 0.625 THK .040 AMX 4 CTW SHAFT FOR FRONT AND SIDE AMX 4 MTG CUP FOR FRONT AND SIDE OD 0.420 WIRE DIA 0.055 MUSIC WIRE EXT AXIAL MOUNT 0.394 SHAFT DIA
79 82 87 88 89 90	46-170498P31 46-302020P1 46-286278P1 46-286950P1 46-286949P1 46-286948P1	SCREW OLD SPACER OLD SPACER OLD SCR SPECIAL PLATE BRG RETAINER BRG	2 N 2 2 2	4 1 1 8 2 2	10-32 X 0.375 LG HEX SOC HD STL AMX 4 SPACER FOR SIDE BEARING CUP SPACER SCR SPECIAL PLATE BRG RETAINER BRG
91 98 99 100 101 102	46-271110P2 1000904P446 46-170702P1 12-244 46-279784P1 46-170015P10	LABEL WASHER OLD ADHESIVE OLD WASHER OLD MECHANICAL/M SCREW	2 2 2 2 2 2	1 4 AR 2 2 4	LABEL ID 0.266, OD 0.68, THK .05, B7A34C LOCTITE 635, 50CC BOTTLE ID 0.1495, OD 0.438, THK .051, BRASS COUNTERWEIGHT SHIM PLATE 6-32 X 1/4 LG BIND HD STL EXT TOOTH
103 104 105 106 110 111	2117065 2156375 2156373 2156373-2 46-140184P1 2167444 2167070	SPACER OLD COLUMN SPACE WEAR STRIP WEAR STRIP SPACER OLD DETENT PLATE STOP DISK	2 2 2 2 2 2 2	2 1 6 6 2 1 1	SPACER AMX4 COLM UPPER PULLEY ASM SPACER TO FIT LARGER COLUMN SHELL WEAR STRIP FOR COLUMN. FOR 2174198. WEAR STRIP FOR COLUMN. FOR 2174198-2. SPACER AMX4+ 270 ROTATION DETENT PLATE AMX4+ 270 STOP DISK
112 113 114 115 116 117 119 120 122 123 124 125	2170375 2170376 46-170498P11 46-220181P7 2170377 46-136353P137 46-230198P8 46-170498P77 46-208941P10 46-170012P39 12-276 46-170498P44	DETENT BACKI AMX4+ DETENT SCREW OLD WASHER OLD AMX4+ DETENT SPRING OLD SCREW OLD SCREW OLD NUT OLD NUT OLD WASHER OLD SCREW OLD	N N 2 2 N N N 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 12 13 3	COLUMN/DETENT MOUNTING PLATE AMX4+ DETENT PLASTIC GUIDE 1/4-20 X 1.000 LG HEX SOC HD STL SCREW SIZE 1/4 (0.250) STL AMX4+ BEARING MOUNT SPRING - RATE LBS/IN 108 SCREW SHLD DIA 0.2495 X SHLD LG 0.5005 THD 001/4-20 .438 HEX X .186 THK 10-32, 3/8" HEX KEPS NUT, 1/8" THICK ID 0.2040 OD 0.5630 THK .0478 1/4-20 X 0.375 LG HEX SOC HD STL

CARRIAGE ASSEMBLY, 46-270306G3




46-270306BOM3


REV₀

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
2	2154918	CARRIAGE ASS	2	1	CARRIAGE ASSEMBLY
5	46-270311P1	TH SHLD BOLT	2	4	
8	1000904P124	WASHER OLD	2	8	ID 0.196 OD 0.355 THK .062
9	46-139468P5	BEARING OLD	2	4	ID 0.2500 OD 0.7500 WIDTH 0.2188
10	46-139468P20	BEARING OLD	2	4	ID 0.3937 OD 1.1811 WIDTH 0.3543
12	46-270789P1	RBR BUMPER	2	1	
15	46-170688P1	ADHESIVE OLD	2	AR	LOCTITE 290, 50CC BOTTLE
16	2156374	SHLD BOLT	2	4	AMX COLUMN CARRIAGE AXLE BOLT
17	1000274P477	SPACER OLD	2	4	

AMX-4+ GENERATOR ASSEMBLY, 46-315159G7, AMX1 (FOR 2169360, -2, -3, -4, -7 -8, -9, -10) AMX-4+ GENERATOR ASSEMBLY, 46-315159G8, AMX1 (FOR 2169360-5, -6)



AMX-4+ GENERATOR ASSEMBLY, 46-315159G7, AMX1 (FOR 2169360, -2, -3, -4, -7 -8, -9, -10) AMX-4+ GENERATOR ASSEMBLY, 46-315159G8, AMX1 (FOR 2169360-5, -6)



AMX-4+ GENERATOR ASSEMBLY, 46-315159G7, AMX1 (FOR 2169360, -2, -3, -4, -7 -8, -9, -10) AMX-4+ GENERATOR ASSEMBLY, 46-315159G8, AMX1 (FOR 2169360-5, -6)

46-315159BOM8

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
3 4 5 7 8	46-163294P1 46-315340G1 46-302320P1 46-270622P1 46-270642P1	WASHER OLD DRIVE MODULE MTG PLATE LATCH SPACER OLD	2 2 2 N 2	4 1 1 1	ID 0.255 OD 0.421 THK .060 AMX4 DRIVE ELECTRONICS MODULE ASM CPU BOARD MOUNTING PLATE AMX 4 HORIZONTAL LATCH MACHINING AMX 4 HORZ LATCH SPACER
9	46-264974G2	CIRCUIT BD	1	1	AMX4 CONTROLLER BOARD AMX4 XRAY CONTROL MODULE CAUTION 120V PRESENT AT ALL TIMES AMX4 POWER SUPPLY (LVLE) 1.500 ID 1.750 HOLE .062 SHEET
10	46-303897G2	X-RAY MODULE	1	1	
12	46-279308P1	LABEL	2	2	
13	2318476	POWER SPLY	1	1	
15	46-136394P3	EYELET OLD	N	5	
16 17 18	2116236 46-315373G2 46-302276G2	HARNESS CHARGER MOD DRIVE HANDLE	2 N 2	1 1	MAIN HARNESS FOR AMX4. AMX 4 CHARGER/ROTOR CONTROL MODULE FOR 46-315159G8 ONLY. See page 44 AMX4+ DRIVE HANDLE ASSEMBLY
20	46-220189P3	FASTENER OLD	2	8	STUD RECEIVER .135 HOLE DIA .685 CD
21	46-220187P4	RIVET OLD	2	16	DIA .125 HOLE .126130275 LG
22 23 26 27 28	46-208695P63 46-302321P1 46-270736P1 46-270985P2 46-302365P1	BUSHING OLD INSULATOR OL LATCH SPRING SOLENOID CABLE	2 N N 1 2	1 1 1 1	HEYCO PART NO.2140 SB-1000-12 INSULATOR FOR CPU BOARD AMX4 - HORIZ LATCH SPRING 110VDC, 45W PUSH-ACTION SOLENOID RIBBON CABLE ASSEMBLY - 14 COND.
31	46-170012P39	NUT OLD	2	26	10-32, 3/8" HEX KEPS NUT, 1/8" THICK
33	46-221850P3	SCREW OLD	2	16	10-32 X 1/2 LG HEX FLANGE HEAD
34	46-170498P14	SCREW OLD	2	8	1/4-20 X 0.625 LG HEX SOC HD STL
37	46-208560P23	SCREW OLD	2	1	4-40 X 0.250 LG BIND HD STL
38	46-170015P37	SCREW	2	9	6-32 X 0.625 LG BIND HD STL
39	46-170684P2	ADHESIVE OLD	2	AR	LOCTITE 271, 10CC BOTTLE
41	46-208735P89	PIN OLD	1	1	G.E. PART NO. N533P1922, DIA187,
44	46-270778P3	RELAY	2	1	24VDC 1P1T 10A@150VDC 50MA COIL
46	46-170054P10	CLAMP OLD	2	2	HOLD-DOWN SPRING FOR RELAYS
47	46-170012P36	NUT OLD	2	5	6-32 HEX 5/16 NUT THK 7/64, KEPS
48	46-220264P29	EYELET OLD	N	1	.56 ID .75 HOLE .06 SHEET 1.00 OD
51	403B335P2	TERMINAL	2	1	04 POSITION TERMINAL STRIP, 20 AMP,
52	46-270988G1	CONNECTOR	2	1	AMX4 CONNECTOR ASM.
53	46-302366P2	CABLE	2	5	RIBBON CABLE ASSEMBLY WITH FERRITE
54	46-208759P1	TY-RAP OLD	2	5	7.81" X .184" SELF-LOCKING CABLE TIE
55	46-170171P4	RUBBER STR	N	0.500	ADHESIVE BACKED, SPONGE RUBBER STRIP SEMICONDUCTOR:DIODE RECTIFIER 1.2 VO
57	46-136325P18	SEMICONDUCTO	2	1	


AMX-4+ GENERATOR ASSEMBLY, 46-315159G7, AMX1 (FOR 2169360, -2, -3, -4, -7 -8, -9, -10) AMX-4+ GENERATOR ASSEMBLY, 46-315159G8, AMX1 (FOR 2169360-5, -6)

46-315159BOM8

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
62	46-315759P1	FUSE	2	2	250V/15A 3AG QUICK-CONN TABS UL/CSA
67	46-279508P1	BUMPER OLD	1	1	.88 SQ X .12 THK .62 ID 60 DURO
68	46-220312P1	ADHESIVE OLD	2	AR	LOCTITE SUPERBONDER 416,
69	46-286055P1	STOP BLOCK	N	2	AMX 4 - STOP BLOCK
70	46-208747P1	VIBRATION IS	2	4	CABLE TIE,ADH.BACKED
71 73 74 75 76	46-208758P2 46-286898P1 46-170021P38 46-170021P51 403B335P6	TY-RAP OLD FUSE BRACKET FUSE FUSE TERMINAL	2 N 1 2	6 1 1 1	5.5" X .140" SELF-LOCKING CABLE TIE. AMX4 - FUSE BRACKET 015.000A 0250V 3AB NORM UL/ 002.000A 0250V 3AG; FAST UL/C 16 POSITION TERMINAL STRIP, 20 AMP,
78	46-270769P1	SEMICONDUCTO	2	1	600V, 6.0A, SILICON RECTIFIER DIODE. AMX4 CHARGER/ROTOR CONTROL MODULE
79	46-315373G1	CHARGER	N	1	
80	46-315105G2	GEN.WELDMENT	N	1	FOR 46-315159G7 ONLY. See Page 44 AMX-4 PLUS GENERATOR WELDMENT AMX 4 FRENCH/ENGLISH F1 AMX 4 FRENCH/ENGLISH F2 PROTECTIVE EARTH (GROUND)
88	46-302047P1	LABEL	N	1	
89	46-302048P1	LABEL	N	1	
90	46-271110P1	LABEL	2	1	
91	46-221914P4	LAMP	2	1	125V, 1/3W GREEN INDICATOR LIGHT
93	46-170015P19	SCREW	2	19	6-32 X 0.375 LG BIND HD STL
94	12-276	WASHER OLD	2	9	ID 0.2040 OD 0.5630 THK .0478
95	46-140332P1	WASHER OLD	2	1	B8A4B2 0.510ID X 0.760OD X 0.067
96	2173060	CIRCUIT BOAR	1	1	PARK LATCH SENSOR
97 98 99 100 103 104	46-270627P2 46-316047P2 46-208562P37 46-316993P1 46-276217P3 46-276217P1	LATCH MACH COVER SCREW DISC LINE FILTER LINE FILTER	N 2 2 N 1	1 1 2 1 1 4	AMX-4 LATCH BASE; INCLUDES SLOT FOR PROTECTIVE COVER FOR AMX-4 LATCH SCREW OLD FOR 46-315159G7 ONLY. FERRITE SPLIT CORE AND CASE FOR COMBINATION NYLON CASE AND
105	46-297549G2	CABLE, GND	2	1	AMX EMC GROUND STRAP
106	2159756	FLUX CONCENT	2	1	FLUX CONCENTRATOR FOR AMX 4 LATCH
107	2178054	CHASSIS	1	1	AMX4/4+ RELAY ASSEMBLY

THIS PAGE INTENTIONALLY LEFT BLANK.

DRIVE ELECTRONICS MODULE ASSEMBLY, 46-315340G1, AMX1A5



REV 11


DIRECTION 2173228-100

DRIVE ELECTRONICS MODULE ASSEMBLY, 46-315340G1, AMX1A5

46-315340BOM1 REV 4

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
2 3 4 5	46-315270P1 46-270532G1 46-232834G1 46-232836G2	MTG PLATE HARNESS CIRCUIT BD CIRCUIT BD	N 2 2 2	1 1 1	AMX 4 DRIVE ELECTRONICS MTG PLATE AMX 4 DRIVE ELECTRONICS HARNESS DRIVE CONTROL AMX 5 DRIVE POWER AMPLIFIER
6	46-170015P10	SCREW	2	7	6-32 X 0.250 LG BIND HD STL EXT TOOTH
7	46-221305P5	RELAY	2	2	DPDT, 24VDC HEAVY DUTY POWER RELAY.
8	46-170012P36	NUT OLD	2	8	6-32 HEX 5/16 NUT THK 7/64, KEPS
9	46-220295P10	RESISTOR	1	2	RESISTOR 10 OHMS 5 %
10	46-236576P3	FUSE	N	2	1/4X1-1/4 (UL) RECOG.
11 13 14 15 16	46-315751P1 1001881P84 46-279009P2 46-208759P1 46-208747P1	FUSE SPACER OLD RIBBON CABLE TY-RAP OLD VIBRATION IS	2 2 2 2 2	2 6 1 1 2	8A, 250V 3AB FAST-ACTING TYPE FUSE. HEX 0.250 THD EXT 6-32 INT 6-32 7.81" X .184" SELF-LOCKING CABLE TIE CABLE TIE,ADH.BACKED
17	46-208758P1	TY-RAP OLD	2	2	3.62" X .094" CABLE TIE
18	46-170015P27	SCREW	2	1	6-32 X 0.500 LG BIND HD STL EXT TOOTH
19	2153499	RC FILTER	2	2	AMX 4 RC FILTER
22	46-221850P25	SCREW	N	12	SCREW OLD
23	46-221398P1	ADHESIVE OLD	2	AR	INORGANIC ADHESIVE CEMENT.
24	46-302378G1	DIODE ASM	2	2	AMX 4 — DRIVE ASM
25	46-279094P3	INSULATOR OL	N	1	DRIVE CONTROL R1/R2 INSULATOR
27	12-276	WASHER OLD	2	1	ID 0.2040 OD 0.5630 THK .0478
28	46-220459P3	MECHANICAL/M	2	4	HOLDS HOLLOW CYLINDRICAL RESISTORS

X-RAY CONTROL MODULE ASSEMBLY, 46-303897G2, AMX1A4



REV 11


DIRECTION 2173228-100

X-RAY CONTROL MODULE ASSEMBLY, 46-303897G2, AMX1A4

46-303897BOM2

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
2 3 4 5 6 7	46-303868P1 46-288764G1 46-264986G2 46-303913G1 46-262695P5 46-315415P1	MTG PLATE CIRCUIT BD PWB CAP MODULE CIRCUIT BREA BUSHING	N 2 1 2 2 N	1 1 1 1 1 6	1 KHZ DRIVER BOARD FIL KV CONTROL BOARD AMX 4 — CAPACITOR CIRCUIT BD MODULE 3 POLE CONTACTOR 24VDC COIL
11 15 16 17 18 19	46-136200P4 46-184877P2 46-184904P2 46-303865P1 46-170392P4 46-208570P4	TERMINAL RELAY RELAY BRACKET, CAP CLAMP OLD CAPACITOR	2 2 2 N 2	2 3 3 1 1	RING LUG W/ SOLDER TAB, INTERNAL SPDT, OPEN FRAME POWER RELAY. 25A, 110VDC COIL, DPDT DC PWR RELAY. AMX-4, X-RAY CONTROL MODULE WRAPAROUND MOUNTING BRACKET 20UF, 600V SCR COMMUTATION CAPACITOR
20 22 23 25 26 28	46-270962G2 46-270895P2 46-154008G10 46-270895P3 46-170015P16 46-315236P1	CHOKE POWER MODULE CHOKE POWER MODULE SCREW MAGNETICS	2	1 2 1 1 1	AMX 4 X-RAY CONTROL MODULE SCR/DIODE POWER MODULE 800V 200A AMX 4 X-RAY CONTROL MODULE SCR/SCR POWER MODULE 600V 200A
31 33 34 35 38 43	46-208508P17 12-244 46-170012P36 46-170012P39 46-279020P1 46-315151P1	FISHPAPER WASHER OLD NUT OLD NUT OLD SPACER OLD BUSS BAR	N 2 2 2 2 N	1 5 26 13 3 1	ADHESIVE BACKED 10.00 IN X 6.50 IN ID 0.1495, OD 0.438, THK .051, BRASS 6-32 HEX 5/16 NUT THK 7/64, KEPS 10-32, 3/8" HEX KEPS NUT, 1/8" THICK
44 45 46 48 49 51	46-303898G1 46-256109P4 1001881P84 46-152753P2 46-220264P29 46-279091P2	HARNESS SPACER OLD SPACER OLD TRANSFORMR EYELET OLD RESISTOR	N 2 2 2 N 2	1 3 3 1 1	AMX-4, X-RAY CONTROL PANEL LEAD DATA SWIVEL,ROUND,FEMALE/FEMALE, HEX 0.250 THD EXT 6-32 INT 6-32 PRI VOLTS 48 FREQUENCY HZ 500 .56 ID .75 HOLE .06 SHEET 1.00 OD RESISTOR 20M OHMS 5 %
56 57 63 67 71 72	46-250662P2 46-250662P3 46-170015P19 46-170212P1 46-302285G1 46-221850P25	STRAP STRAP SCREW MECHANICAL/M DIODE ASM SCREW	N N 2 2 2 N	2 2 2 AR 1 29	6-32 X 0.375 LG BIND HD STL EXT TOOTH THERMAL JOINT COMPOUND, 2-OZ JAR AMX 4 - SAFETY CONTACTOR SCREW OLD
74 75 76 77 78 79	46-136325P18 46-170015P10 46-170012P35 46-208599P2 46-136375P25 46-208758P2	SEMICONDUCTO SCREW NUT OLD WASHER OLD SPACER OLD TY-RAP OLD	2 2 2 2 N 2	1 6 6 2 2 2	SEMICONDUCTOR: DIODE RECTIFIER 1.2 VO 6-32 X 0.250 LG BIND HD STL EXT TOOTH 6-32, 1/4" HEX KEPS NUT, 3/32 THICK #6 SCREW SIZE, EXTERNAL TOOTH 1.5" LONG, .25" HEX SPACER. 5.5" X .140" SELF-LOCKING CABLE TIE.

DRIVE HANDLE ASSEMBLY, 46-302276G2



DRIVE HANDLE ASSEMBLY, 46-302276G2


46-302276BOM2 REV 2

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
2 3 4 5 6	46-302275P2 46-302314P1 46-302304P1 46-270270P2 46-302263P2	ENABLE BAR CLAMP PLATE SPRING HANDLE BRACKET	2 N 2 2	1 6 4 1	ENABLE BAR — GEMS LIGHT BLUE AMX 4 DRIVE HANDLE SPRING CLAMP AMX 4 DRIVE HANDLE — SPRING STEEL HANDLE — GEMS LIGHT BLUE AMX 4 DRIVE HANDLE — RH BRACKET
8 9 10 11 12	46-302409G1 46-302302P2 46-302303P2 46-302263P1 46-302950P2	SENSOR ASM END MACH RH END MACH LH BRACKET HANDLE BRACE	2 2 2 2 2	2 1 1 1	AMX 4 DRIVE HANDLE SENSOR/ENABLE CAB END MACH RH — GRAY # 4 END MACH LH — GRAY #4 AMX4 DRIVE HANDLE — LH BRACKET HANDLE BRACE — GRAY #4
13 15 16 17 18	46-270514P3 46-270565P1 46-302280P1 46-208643P2 46-279306P1	END CAP RH SPRING SPACR NUT PLATE NUT OLD SWITCH	2 2 N N 2	1 4 1 1	END CAP RH - GRAY # 4 AMX 4 - SPRING SPACER (UPPER) AMX 4 DRIVE HANDLE - NUT PLATE FOR 15/32-32 HEX 9/16 THK 1/8 SINGLE POLE, 6 AMP
19 20 21 22 23	46-279865G2 2179131 46-270905P1 46-270425P1 46-136343P9	CABLE NUT PLATE MAGNET CLIP MAGNET SWITCH	2 2 N 2	1 2 2 2 1	BREAK RELEASE SWITCH ASSEMBLY AMX4+ DRIVE HANDLE SPRING NUT PLATE AMX 4 - HANDLE MAGNET CLIP AINICO VIII SPDT, ON-NONE-ON TOGGLE SWITCH.
26 27 29 30 31	46-136334P54 46-208560P23 46-170498P12 46-170498P34 46-221850P3	SWITCH SCREW OLD SCREW OLD SCREW OLD SCREW OLD	2 2 2 2 2	2 4 4 4 8	SPDT, LOW FORCE, BASIC SWITCH. 4-40 X 0.250 LG BIND HD STL 10-32 X 1.000 LG HEX SOC HD STL 10-32 X 1.250 LG HEX SOC HD STL 10-32 X 1/2 LG HEX FLANGE HD WHIZ-LOCK
33 35 38 41 43	46-170497P11 46-208901P4 46-208560P59 46-170490P55 2103355	SCREW OLD SCREW OLD SCREW OLD SPRING OLD LEAD DATA	2 N 2 2 N	8 6 4 2 1	4-40 X 0.250 LG HEX SOC BUTTON HD STL PAN HD TYPE B 4 X 0.375 2-56 X 0.625 LG BIND HD STL SPRING O.D180 WIRE DIA020 ESD STRAP LEAD DATA
44 45	46-270514P4 46-220181P5	END CAP RH WASHER OLD	2 2	1 4	END CAP LH - GRAY #4 #10 (0.190) SCREW, ZINC PLATED STEEL

REV 11

DIRECTION 2173228-100

BATTERY CHARGER & ROTOR CONTROL ASEMBLY, 46-315373G1, AMX1A3 (FOR 46-315159G7) BATTERY CHARGER & ROTOR CONTROL ASEMBLY, 46-315373G2, AMX1A3 (FOR 46-315159G8)




BATTERY CHARGER & ROTOR CONTROL ASEMBLY, 46-315373G1, AMX1A3 (FOR 46-315159G7) BATTERY CHARGER & ROTOR CONTROL ASEMBLY, 46-315373G2, AMX1A3 (FOR 46-315159G8)

46-315373BOM2

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
3	46-208568P19	CAPACITOR	2	1	15UF, 240VAC, 60HZ, +/-6% AC CAP.
4	46-208701P4	CLAMP OLD	2	1	WRAPAROUND MOUNTING BRACKET
5	403B335P23	TERMINAL	2	1	09 POSITION TERMINAL STRIP, 20 AMP,
6	46-207111P2	MAGNETICS	2	1	PRI VOLTS 117 FREQ HZ 50/60
7	46-270620P1	XFMR	2	1	PRI VOLTS 110 FREQ 60HZ
8	46-232786G2	CIRCUIT BD	2	1	ROTOR CONTROL AMX 4
9	46-288786G2	PWB	2	1	BATTERY CHARGER (EMC VERSION)
10	46-315759P1	FUSE	2	5	250V/15A 3AG QUICK-CONN TABS UL/CSA
11	46-270687P1	CIRCUIT BREA	2	1	CIRCUIT BREAKER 2-POLE W/TRIP COIL
12	46-279092P1	CHOKE	2	1	12MH 20% 0.2 OHM 5ADC
13	403B335P2	TERMINAL	2	1	04 POSITION TERMINAL STRIP, 20 AMP,
16	46-154083P2	RESISTOR	2	1	RESISTOR 2.5 OHMS 10 %
17	46-270618G1	HARNESS	2	1	AMX 4 60 HZ INVERTER
18	46-170015P19	SCREW	2	4	6-32 X 0.375 LG BIND HD STL EXT TOOTH
19	46-170015P27	SCREW	2	15	6-32 X 0.500 LG BIND HD STL EXT TOOTH
20	507A732P83	SPACER OLD	Ν	2	HEX 0.312 THD 6-32 LGTH 3.00
21	46-170012P36	NUT OLD	2	23	6-32 HEX 5/16 NUT THK 7/64, KEPS
22	46-279235G1	FUSE BRACKET	Ν	1	AMX 4 CHARGER/ROTOR CONTROL FUSE
24	46-208908P22	SCREW	2	3	6-32 X 0.500 SLOT FLT HD
25	46-170021P42	FUSE	2	2	010.000A 0250V 3AB NORM UL/
26	46-315751P1	FUSE	2	1	8A, 250V 3AB FAST-ACTING TYPE FUSE.
27	46-170021P51	FUSE	2	1	002.000A 0250V 3AG; FAST UL/C
28	514A146P4	FUSE	2	1	000.500A 0250V FAST UL/C
29	46-170012P35	NUT OLD	2	10	6-32, 1/4" HEX KEPS NUT, 3/32 THICK
30	46-270966G1	HARNESS	2	1	AMX 4 BATT CHRG/ROTOR CONTROL
31	46-270968P1	CLAMP OLD	Ν	1	
32	46-170015P21	SCREW	2	2	10-32 X 0.625 LG BIND HD STL EXT TOOTH
33	46-170015P43	SCREW	2	3	4-40 X 0.500 LG BIND HD STL EXT TOOTH
34	46-279028P1	INSULATOR OL	Ν	1	A19B13E GLASTIC GRADE UTS
35	46-170030P78	CAPACITOR	2	1	3100UF, 200VDC, -10/+50%
36	46-208747P1	VIBRATION IS	2	1	CABLE TIE,ADH.BACKED
37	46-208758P1	TY-RAP OLD	2	1	3.62" X .094" CABLE TIE
38	46-170012P34	NUT OLD	2	3	4-40, 1/4" HEX, 3/32 THICK KEPS NUT
39	46-317356P1	RESISTOR	2	1	RESISTOR 27k OHMS 5 %
40	46-136200P4	TERMINAL	2	2	RING LUG W/ SOLDER TAB, INTERNAL
41	403B335P13	TERMINAL	2	1	06 POSITION TERMINAL STRIP, 20 AMP,
42	46-279214P1	MAGNETICS	2	1	10MH 50% .15 OHM 8.0 A.D.C.
43	46-270769P1	SEMICONDUCTO		1	600V, 6.0A, SILICON RECTIFIER DIODE.
45	46-208758P2	TY-RAP OLD	2	9	5.5" X .140" SELF-LOCKING CABLE TIE.
46	12-277	WASHER OLD	2	12	ID 0.1770 OD 0.5000 THK .0478
47	46-302039G1	MTG PLATE	Ν	1	AMX 4 IEC CHARGER
48	46-270995P4	MAGNETICS	2	1	PRI VOLTS 105-132 60HZ 210-264 50HZ
					(G1 ONLY)
49	46-270688G1	FAN	2	1	AMX 4
50	46-270995P5	MAGNETICS	2	1	PRI VOLTS 90-100 50-60HZ (G2 ONLY)

CASSETTE DRAWER ASSEMBLY, 46-270231G2




46-270231BOM2

REV₃

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
	40 07000700	INIOLII ATIONI		_	OLODAL MANE BART
6	46-270237P2	INSULATION		1	GLOBAL NAME: PART
8	46-270238P1	MAT		1	GLOBAL NAME: PART
10	46-270230G2	TRAY SUB ASM		1	AMX 4 CASSETTE TRAY
11	46-270236P3	INSULATION		1	GLOBAL NAME: PART
12	46-270236P4	INSULATION		1	GLOBAL NAME: PART
13	46-270237P3	INSULATION		1	GLOBAL NAME: PART

COVER ASSEMBLY (EMC, GRAY #4), 46-303626G4




46-303626BOM4

REV 0

Item	Part Number	Name	FRU	Quantity	Description (Remarks)
				_	
2	46-270541P3	TOP COVER	Ν	1	AMX4 PLUS TOP COVER
3	46-270934G1	LID	Ν	1	AMX 4 PENCIL TRAY LID FOR TOP COVER
4	46-279914P1	BAR	2	2	
5	46-279913P1	TUBING OLD	2	1	
6	46-136353P115	SPRING OLD	2	1	C0148-021-100, VENDOR CODE 2,
7	46-170260P1	CHEMICAL OLD	Ν	AR	LUBRICATING GREASE USED ON BEARINGS.

HV TRANSFORMER ASSEMBLY (46-270954G1), T3432AP AMX1A6




HV TRANSFORMER ASSEMBLY (46-270954G1), T3432AP AMX1A6

46-270954BOM1

<u>ltem</u>	Part Number	Name	FRU	Quantity	Description (Remarks)
2	46-148260G2	TANK ASM XFMR/RECT AS WASHER OLD NUT OLD RECEPTACLE	2	1	AMX 4 HVXFMR
3	46-184859G2		N	1	AMX 4 HVXFMR
4	1000904P279		2	6	ID 0.1910 OD 0.3125 THK .0359
5	46-170012P64		2	4	01/4-20 HEX .437 NUT HT .312
7	46-184899G2		2	2	GEN USE
9	46-136374P26	RING OLD	2	2	WIDTH .139 ID 2.484 DUROMETER A 70 1/4-20 X 0.187 LG HEX SOC CUP PT PROTECTIVE CLOSURES WW-16 AMX 4 XFMR
10	1001494P1	RETAINING RI	1	2	
11	46-208563P24	SCREW	2	2	
12	46-230638P1	CAP/PLUG OLD	2	2	
14	46-270955G1	FILAMENT XFM	2	1	
15	46-208758P3	TY-RAP OLD	2	17	7.31" X .184" SELF-LOCKING CABLE TIE
16	46-208941P8	NUT OLD	2	4	10-32 .375 HEX X .124 THK STL F70B5A
17	46-208947P4	NUT OLD	2	7	001/2-20 .750 HEX X .313 THK
18	46-188054P2	BUSHING OLD	2	7	LV FEEDTHRU 8-32 BRS STUD
19	46-230474P8	WASHER OLD	2	7	PARKER THREDSEAL 7500-1/2
20 21 22 23 28 29	46-230179P12 46-208935P6 46-188069P2 46-136356P3 46-148506P1 46-148033G2	WASHER OLD NUT OLD GND CONT WASHER OLD GASKET OLD COVER ASM	2 2 N 2 2 N	7 21 2 7 1	HOLE SIZE 1/2 FREE HT .150/.110 00008-32 .344 HEX X .125 THK BR MA+/- GAP CONTACT ID NOM .172 OD NOM .344 MAT THK .026 AMX-3 H.V. XFMR
30 31 33 39 41	46-148504P1 46-208734P7 506A254P1 46-208713P7 46-136233P4	STRIP SCREW RING OLD CLAMP OLD OIL	N 2 1 2 2	4 24 1 2 8	10-23 X 0.500 LG HEX WASHER INDENT SLOT 3 PIN HV RECEPTACLE SHUNT CABLE OD 0.50" TRANSFORMER OIL N60
43	46-170099P2	ADHESIVE OLD	1	AR	HIGH PERFORMANCE CONTACT CEMENT. AMX 4 H.V. XFMR STUD COVER 1/4-20 X 0.375 LG BIND HD STL ID 0.250 OD 0.500 THK .010
45	46-279019P1	COVER	2	1	
46	46-158088P1	SPACER OLD	2	2	
47	46-208560P5	SCREW	2	2	
48	46-151289P1	WASHER OLD	N	2	
50	46-220205P1	WASHER OLD	2	4	ID 0.3125 OD 0.75 THK 0.0625
52	46-208954P3	NUT OLD	2	7	0008-32 .313 HEX X .281 HT UNPLT
53	46-220184P53	SCREW	2	1	1/4-20 X 0.875 LF RD HD SLOT BRASS
54	46-208935P8	NUT OLD	2	8	1/4-20, 7/16" HEX X 3/16 THK, BRASS
55	46-220181P7	WASHER OLD	2	1	SCREW SIZE 1/4 (0.250) STL

HV TRANSFORMER ASSEMBLY (46-270954G1), T3432AP AMX1A6



HV TRANSFORMER ASSEMBLY (46-270954G1), T3432AP AMX1A6


46-270954BOM1

<u>Item</u>	Part Number	Name	FRU	Quantity	Description (Remarks)	
56 57 58 59 60	12-281 46-230474P4 46-216195G1 1001492P1 1001493P1	WASHER OLD WASHER OLD BRACKET BUSHING RETAINING RI	2 2 N N	1 1 1 2 2	ID 0.2813 OD 0.625 THK .050 PARKER THREDSEAL 7500-1/4 AMX - 3 H.V. XFMR	
61 62 63 64 65	46-136374P108 46-170137P1 46-221911P1 46-170012P63 46-177548P1	RING OLD ADHESIVE OLD CHEMICAL OLD NUT OLD SPACER OLD	N 2 N 2	2 AR AR 5 1	PARKER NUMBER 5-701 RTV-162 NON-CORROSIVE ADHESIVE. ARCO DOMINION H-2 35 LB PAIL 0010-32 HEX .375 NUT HT .239	
67 70 71 72 73	46-233788G1 46-184691P710 508A865P3 46-220178P6 46-208954P3	LEAD ASM PLATE MECHANICAL/M MECHANICAL/M NUT OLD	N N 2 2 2	2 1 1 0.500 2	AMX 3 XFMR WIDTH 04.0" LGTH 08.0" THK .004" PLASTIGLIDE 122-NN-1500 0008-32 .313 HEX X .281 HT UNPLT	
76 77	46-208599P19 515A132P1	WASHER OLD CAP/PLUG OLD	2 2	2 1	1/4 EXTERNAL TOOTH PHOS, BRONZE	

REV 11

DIRECTION 2173228-100

COLLIMATOR ASSEMBLY, (46-270615P2), (2141235), T3497T



REV 11

DIRECTION 2173228-100

COLLIMATOR ASSEMBLY, (46-270615P2), (2141235), T3497T

Item	Part Number	Name	FRU	Description (Remarks)
2	46-250207P37 46-250131P2	ADJUST KNOB TAPE SCALE	2 2	HI-CONVE,MICRO MED#63102 (46-250207P20)
4	46-270799P1	SWITCH	1	INCLUDES ITEMS 5B THRU 5E
5 (2)	46-303376G1	SWITCH KIT	1	
6A (1)	46-194361P1	LAMP	1	FIELD LIGHT, 24V, 150W, GE FCS
6B (1)	46-250207P6	LAMP MASK	1	
6C (1)	46-250207P2	LAMP SOCKET	14	
6D (1)	46-250207P26	PLATE	2	FOR LAMP SOCKET
7 (1)	69199	WRENCH (TOOL)		ALLEN 9" SHANK 5/32" (.156) HEX
8A 8B 8C 9	46-173632G2 46-173629P2 46-173631P5 46-250207P8 46-250207P51	FILTER LABEL PLATE DECAL GUARD ARMS	2 2	HALF VALUE (INCLUDES ITEM 8B, 8C) ATTACHED TO ITEM 8C 5 X 5.70 X .10 THK ALUM
11	46-250207P49	FRONT PANEL KIT	2	INCLUDES HANDLE (ITEM 33) FOR CROSS PLATE TAPE SCALE
13A	46-250207P11	CROSS PLATE	2	
13B	46-250207P25	FRAME	2	
14	46-250207P13	COVER	2	
15A 15B 15C 15D	46-268418P1 46-250207P38 46-250207P40 46-214913P10	POINTER HOLDER SCREW SET SCREW	1	M2.2 X .45 X 4.0MM FLAT HD M3 X 6MM CUP POINT
16	46-250207P21	STOPPER KNOB	1	8 LEADS STOPPER DRH
17	46-250207P22	CABLE	1	
18	46-250207P28	SHAFT & PLATE	1	
24	46-250207P16	SPRING	2	
26 (1)	46-250207P18	LABEL	2	
27A	46-279049P1	LT HANDLE COV	2	(46-220360P5)
27B	46-279049P2	RT HANDLE COV	2	
29	46-250207P27	CLAMP	2	

⁽¹⁾ NOT IDENTIFIED IN VIEW

⁽²⁾ REPLACEMENT FOR 46-270906P1 OR 46-270907P1



GE Medical Systems — Europe: Telex 698626 283, rue de la Miniére, B.P. 34, 78533 Buc Cedex

France